

Product datasheet

Specifications



mini Opale surface enclosure - IP 30 - 1 x 4 modules - without door

13394

! Discontinued on: 20 August 2020

! Discontinued

Main

| | |
|-----------------------------|-----------------------------|
| Product or component type | Enclosure |
| Enclosure type | Distribution enclosure |
| Nb of 18 mm modules per row | 4 |
| Standards | IEC 60529 EN 50102 |
| Colour | Enclosure: white (RAL 9003) |

Complementary

| | |
|----------------------------|--|
| Enclosure mounting | Surface |
| Nb of horizontal rows | 1 |
| [In] rated current | 63 A |
| Type of rail | DIN |
| Mounting plate description | Without mounting plate |
| Enclosure material | Enclosure: self-extinguishing material |
| Width | 80 mm |
| Height | 130 mm |
| Depth | 57 mm |
| Internal depth | 52 mm |

Environment

| | |
|-------------------------|------------------------------|
| IP degree of protection | IP30 conforming to IEC 60529 |
| IK degree of protection | IK07 conforming to EN 50102 |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 13.000 cm |
| Package 1 Width | 8.000 cm |
| Package 1 Length | 5.700 cm |

| | |
|------------------------------|------------|
| Package 1 Weight | 90.000 g |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 14.500 cm |
| Package 2 Width | 17.500 cm |
| Package 2 Length | 30.000 cm |
| Package 2 Weight | 990.000 g |
| Unit Type of Package 3 | P12 |
| Number of Units in Package 3 | 900 |
| Package 3 Height | 80.000 cm |
| Package 3 Width | 80.000 cm |
| Package 3 Length | 120.000 cm |
| Package 3 Weight | 104.700 kg |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| REACH Regulation | REACH Declaration |
| REACH free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Recommended replacement(s)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Enclosures for Industrial Automation](#) *category:*

Click to view products by [Schneider](#) *manufacturer:*

Other Similar products are found below :

[116-508](#) [2202307](#) [2790318](#) [5030266](#) [706-102](#) [2977487](#) [115-401](#) [795-001](#) [790-211](#) [733-820](#) [05410002](#) [13435](#) [S-12/40D IP-40 WHITE](#)
[C.1548](#) [MIP12118](#) [2000602](#) [MIP12112T](#) [2000604](#) [CN 70 AK-SET](#) [13433](#) [13963](#) [S-7/PT WHITE](#) [S-3Z WHITE](#) [MIP12312T](#) [S-9/PT](#)
[WHITE](#) [MIP22112](#) [MIP22112T](#) [ZD1004J ABS V0](#) [S-7/K WHITE](#) [CN 55 AK-SET](#) [2000603](#) [NSYCAG291LPF](#) [XAPD1201](#) [MIP12312](#) [CN](#)
[22 AK-SET](#) [13434](#) [13957](#) [MIP22312T](#) [2000605](#) [S-12/40 IP-40 WHITE](#) [MIP12112](#) [S-12/55D IP-55 WHITE](#) [MIP22212T](#) [C.14508](#) [S-4/K](#)
[WHITE](#) [NSYCRN65150P](#) [S-12/K WHITE](#) [S-6/40 IP-40 WHITE](#) [MIP22108T](#) [MIP12108](#)