9001KS11K1SR251 SELECTOR SWITCH OPERATOR 30MM TYPE K

Product availability: Non-Stock - Not normally stocked in distribution facility



Main

Bezel material	Chromium plated metal
Device short name	К
Enclosure type	Weatherproof enclosure dust and oil resistant in- door/outdoor
Mounting diameter	1.18 in (30 mm)

Complementary

Cap/operator or lens colour	Black
Contacts type and composition	Without contact block
Key number	SR251
Key withdrawal position	Left
Operator position information	2 positions
Operator profile	Key operated knob
Operator profile	1 projecting push-button
Type of operator	Maintained

Environment

NEMA degree of protection	NEMA 1/2/3/3R/4/6/12/13
Product certifications	CE
	UL listed file E42259 CCN NKCR
	CSA LR24590 class 3211 03

Ordering and shipping details

21426 - 9001 K (NOT KA,KM,KX)
CS1
00785901971481
1
0.5
N
MX

Offer Sustainability

RoHS (date code: YYWW)	Compliant - since 0921 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Nickel compounds, which is known to the State of California to cause cancer, and
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
More information	For more information go to www.p65warnings.ca.gov

Warranty period

18 months

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Keylock Switches category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

89496-09 58J1007 58J8A45-01B05N 719-0201-000 719-0202-000 719-0702-000 719-5504-000 84800-04 GKNC33L GKNC3L

PVA2OAH5 HA1K-2C2VA-2 14-136.025K 14-235.022K AS6H-2K2A AS6M-2K1B AS6Q-2K2A AS6Q-3K2A 1571487-1 KEY-AS6

KH3C-20C 8928K493 2SWK131AL102 AS6M-2K1A AS6Q-2K1PB 51-401.036D 51-414.036D HW1K-31BF20 HW1K-3HF20 Y1112
2027CLFT 51-155.025D 51-195.025D 51-404.036D 51-405.036D 1-1437597-8 58J8A36-01B04N 58M1422 86945-05 719-0204-000 719
0205-000 719-0801-000 719-0804-000 719-0805-000 88422-18 58J8A90-01C02N 58J9P36-01B09N 58J8A36-01C03N GKRA3K1A2-F03
C GKBB14L6 14-236.025K1020