Product data sheet Characteristics

1

9007EA1

limit switch lever arm, 9007C, 3 inch long cast zinc lever arm, 0.625 inch diameter roller, 0.25 inch wide roller



Product availability: Stock - Normally stocked in distribution facility

	Main	
	Range of product	9007
	Series name	Heavy duty
	Product or component type	Limit switch lever
	Device short name	9007C
	Associated head	9007T10 9007C 9007B 9007A 9007T5 9007N
	Associated complete product	9007AW 9007C
	Movement of operating head	Rotary
	Type of operator	Cast zinc spring return roller lever length: 3 in - off- set:
	Type of roller	1 steel outside roller diameter: 0.63 in - width: 0.25 in
	Type of approach	Lateral approach
	Positive opening	Without
Complementary		
Switch actuation	By 30° cam	
Product weight	0.1 lb(US)	
Environment		
Ambient air temperature for operation	-20 185 °F	
Ambient air temperature for operation	-20185 °F	
Ambient air temperature for operation Ambient air temperature for storage Environmental characteristic	-20185 °F -20185 °F Standard environment	
Ambient air temperature for storage	-20185 °F	
Ambient air temperature for storage Environmental characteristic	-20185 °F	
Ambient air temperature for storage Environmental characteristic Ordering and shipping details	-20185 °F	R AW,C
Ambient air temperature for storage	-20185 °F Standard environment	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category	-20185 °F Standard environment 21493 - 9007 ARMS FOF	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg.	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight(Lbs)	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1 0.100000000000000001	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight(Lbs) Returnability Country of origin Offer Sustainability	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1 0.10000000000000001 Y MX	R AW,C
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight(Lbs) Returnability Country of origin Offer Sustainability Sustainable offer status	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1 0.10000000000000001 Y MX Green Premium product	
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight(Lbs) Returnability Country of origin Offer Sustainability Sustainable offer status	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1 0.10000000000000001 Y MX Green Premium product	- Schneider Electric declaration of conformity
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight(Lbs) Returnability Country of origin Offer Sustainability Sustainable offer status RoHS (date code: YYWW)	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1 0.10000000000000001 Y MX Green Premium product Compliant - since 1150 der Electric declaration of	- Schneider Electric declaration of conformity
Ambient air temperature for storage Environmental characteristic Ordering and shipping details Category Discount Schedule GTIN Nbr. of units in pkg. Package weight(Lbs) Returnability Country of origin Offer Sustainability	-20185 °F Standard environment 21493 - 9007 ARMS FOF DS1 00785901794424 1 0.10000000000000001 Y MX Green Premium product Compliant - since 1150 der Electric declaration of	- Schneider Electric declaration of conformity



California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.	
Substance 1		
Substance 2		
More information	For more information go to www.p65warnings.ca.gov	

Contractual warranty

Warranty period

18 months

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Schneider manufacturer:

Other Similar products are found below :

 LW1B-A0L
 LW1B-M0
 680-4000-00
 704.012.618
 704.411.018I
 704.412.0
 704.633.1
 704.730.1
 704.733.0
 84-1221.7
 862.8102
 G6083

 9PA24
 A0107X
 A019307
 ADC-418G
 12MA7
 ASDHHY-B
 HW1F-3G
 HW1M-L2222
 HW4S-31L
 200-.704-00
 JS-10008
 JS-10083
 JS

 10118
 JS-10133
 JS-10277
 JS-10389
 JS-552
 JS-555
 JS-68
 JS-91
 JS-94
 22-211.011
 9001KXSDC
 92-458.500
 SAPT654133

 2PA3
 SW53AA2
 302561
 LW2L-A0
 3E-10.4
 3E-12.0
 468-10243-001
 51-030.005
 JM-13
 JS-10120
 JS-138-B