

# Product data sheet

Specifications



## UPS Communications Cable Smart Signalling

940-0024

### Overview

Lead time	Usually in Stock
-----------	------------------

### Main

Cable length	6.56 ft (2.00 m)
--------------	------------------

Number of cables	1
------------------	---

### Physical

Connector B	SUB-D 9 male Smart Signaling
-------------	------------------------------

Connector A	SUB-D 9 female Smart Signaling
-------------	--------------------------------

Mounting Location	Front
-------------------	-------

Net Weight	1.01 lb(US) (0.46 kg)
------------	-----------------------

### Output

Number of port	1
----------------	---

### Environmental

Storage Relative Humidity	0...95 %
---------------------------	----------

Storage altitude	0...50000 ft (0.00...15240.00 m)
------------------	----------------------------------

Ambient air temperature for operation	32...113 °F (0...45 °C)
---------------------------------------	-------------------------

Relative Humidity	0...95 %
-------------------	----------

Operating altitude	0...10000 ft
--------------------	--------------

Ambient Air Temperature for Storage	5...113 °F (-15...45 °C)
-------------------------------------	--------------------------

### Ordering and shipping details

GTIN	00731304316350
------	----------------

Package weight(Lbs)	1.01 lb(US) (0.46 kg)
---------------------	-----------------------

### Packing Units

Package 1 Height	9.02 in (22.9 cm)
------------------	-------------------

Package 1 width	4.02 in (10.2 cm)
-----------------	-------------------

---

<b>Package 1 Length</b>	2.01 in (5.1 cm)
-------------------------	------------------

---

## Offer Sustainability

---

<b>California proposition 65</b>	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
----------------------------------	--

---

<b>EU RoHS Directive</b>	Compliant <a href="#">EU RoHS Declaration</a>
--------------------------	--

---

<b>WEEE</b>	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.
-------------	--

---

## Contractual warranty

---

<b>Warranty</b>	2 years repair or replace
-----------------	---------------------------

---

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Specialised Cables](#) category:*

*Click to view products by [Schneider](#) manufacturer:*

Other Similar products are found below :

[603PT6](#) [603SS6L](#) [604PT6](#) [604SS6](#) [706000D02F200](#) [910640](#) [1200740077](#) [1200740114](#) [AC172](#) [ACL-SSI-4](#) [R88ACAKA0015SRE](#)  
[R88ACAWL005SDE](#) [R88ACRGD0R3C](#) [1300150047](#) [1300660036](#) [1302262116](#) [1300150149](#) [1300220020](#) [1300220104](#) [1300220119](#)  
[1301240492](#) [1301810221](#) [1365323-1](#) [1613055](#) [176P12](#) [1971465-2](#) [20240400003](#) [20240400013](#) [2085828-1](#) [20886510030](#) [2-22733-8](#) [22733-](#)  
[8](#) [CB-5PSBC-RS](#) [CB-704EC-RS](#) [CB-BATACC-RS](#) [CB-JST3PSW-RS](#) [CB-M12COM-R10](#) [25AC84](#) [25AK84X](#) [25AU25](#) [25FN82](#) [3011-03](#)  
[AC118](#) [ACL-HHS-1M\(CAT5E\)](#) [SSL009PC2DC012N](#) [FC2A-KC6C](#) [2085828-2](#) [20886510150](#) [CCS-FCB-5](#) [CCSFCBF2](#)