Product data sheet Characteristics

ACF501

Roof Fan Tray 120VAC 50/60HZ for NetShelter SX 600mm Wide 1070mm Deep Enclosures



Overview

Description	The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.
Model Name	Roof Fan Tray 120VAC 50/60HZ for NetShelter SX 600mm Wide 1070mm Deep Enclosures
Includes	Installation guide
Standard Lead Time	Usually in Stock
Product Distribution	Anguilla , Antigua And Barbuda , Argentina , Aruba , Barbados , Belize , Bermuda , Bolivia , Brazil , Canada , Chile , Colombia , Costa Rica , Cuba , Dominican Republic , Ecuador , El Salvador , Falkland Islands (Malvinas) , Guatemala , Guyana , Honduras , Jamaica , Japan , Mexico , Netherlands Antilles , Nicaragua , Panama , Paraguay , Peru , Puerto Rico , Trinidad And Tobago , United States , Uruguay , Venezuela , VIRGIN ISLANDS (UNITED STATES)

General

Air Flow	440.0
All Flow	440.0

Input

Number of Power Cords	1
Nominal Input Voltage	120V
Input Frequency	50/60 Hz
Input Connections	NEMA 5-15P

Physical

Description	The Rack Fan Tray is a low cost solution that aids in heat removal from a Netshelter Enclosure. The system easily installs into the top of the enclosure and expels heat from the roof of the rack. Wall-mounted enclosures have the additional option of installing the rack fan tray systems in the base of the rack as well. The fan trays are designed to promote bottom to top airflow within the enclosure.
Model Name	Roof Fan Tray 120VAC 50/60HZ for NetShelter SX 600mm Wide 1070mm Deep Enclosures
Includes	Installation guide
Standard Lead Time	Usually in Stock
Product Distribution	Anguilla , Antigua And Barbuda , Argentina , Aruba , Barbados , Belize , Bermuda , Bolivia , Brazil , Canada , Chile , Colombia , Costa Rica , Cuba , Dominican Republic , Ecuador , El Salvador , Falkland Islands (Malvinas) , Guatemala , Guyana , Honduras , Jamaica , Japan , Mexico , Netherlands Antilles , Nicaragua , Panama , Paraguay , Peru , Puerto Rico , Trinidad And Tobago , United States , Uruguay , Venezuela , VIRGIN ISLANDS (UNITED STATES)
General	
Air Flow	440.0
Input	
Number of Power Cords	1
Nominal Input Voltage	120V
Input Frequency	50/60 Hz
Input Connections	NEMA 5-15P
Physical	
Maximum Height	2.36 inches (60.0 mm)
Maximum Width	22.61 inches (574.0 mm)
Maximum Depth	35.14 inches (893.0 mm)
Net Weight	18.5 lbs (8.41 kg)
Shipping Weight	26.4 lbs (12.0 kg)
Shipping Height	6.0 inches (152.0 mm)
Shipping Width	29.5 inches (749.0 mm)
Shipping Depth	39.0 inches (991.0 mm)
Color	Black

Environmental

Audible noise at 1 meter from surface	51.000 dB
of unit	

Conformance

Approvals	CSA C22.2 No. 60950 , PSE , UL 60950
Standard warranty	2 years repair or replace

Sustainable Offer Status

RoHS	Compliant

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Racks & Rack Cabinet Accessories category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

M00-PLN F2424 8351-832-A-24 9104 9105 PLFF2000 H-9163-B 1427C3 HTS10 PC-79 SC10-3A SC4-28 CG3-340S/12 CP-001BK M6123-4007-SS TS170 LP40 5261304-07 CG3-160G 7112C-PLN ALUM CM10 8610-3124-S-26 TS81 7142 GP134 M6125-4007-A-24 M6127-4007-SS PBCOVER 512 AEG-4000G AEG-3000G HD99 SR2-66A2 FP10B4HP-1 SR16-66A2 FP52-2 1406-1006-01 29478 TS2535 TS169-6 CAC2 HA19-3U BR-19-10-1 TS180 CG3-ESD SC11-1 CFS-1.00/2.20 AX6145WM HEC0800PB ZC633R