

NetShelter SX Bolt-Down Kit



AR7701

Οv	er	'VI	e	V	V
----	----	-----	---	---	---

Presentation Lead time	Bolt-down brackets for NetShelter SX enclosures. Meets UBC Zone-4 Seismic anchoring requirements. Usually in Stock

Main

Number of cables

General

Provided equipment	Installation guide
	Mounting Hardware

Physical

Color	Black
Depth	2.44 in (6.2 cm)
Height	2.87 in (7.3 cm)
Net Weight	1.50 lb(US) (0.68 kg)
Width	2.76 in (7 cm)

Ordering and shipping details

GTIN	00731304234555
Package weight(Lbs)	2.03 lb(US) (0.92 kg)

Packing Units

Package 1 Height	2.01 in (5.1 cm)
Package 1 width	9.02 in (22.9 cm)
Package 1 Length	6.50 in (16.5 cm)

Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration

Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
Take-back	Take-back program available

Contractual warranty

Warranty 2 years repair or replace	
------------------------------------	--

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Racks & Rack Cabinet Accessories category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

M00-PLN F2424 8351-832-A-24 9104 9105 PLFF2000 H-9163-B 1427C3 HTS10 PC-79 SC10-3A SC4-28 CG3-340S/12 CP-001BK M6123-4007-SS TS170 LP40 5261304-07 CG3-160G 7112C-PLN ALUM CM10 8610-3124-S-26 TS81 7142 GP134 M6125-4007-A-24 M6127-4007-SS PBCOVER 512 AEG-4000G AEG-3000G HD99 SR2-66A2 FP10B4HP-1 SR16-66A2 FP52-2 1406-1006-01 29478 TS2535 TS169-6 CAC2 HA19-3U BR-19-10-1 TS180 CG3-ESD SC11-1 CFS-1.00/2.20 AX6145WM HEC0800PB ZC633R