



Main

| | |
|--|--|
| Range | TeSys |
| Product name | TeSys DF |
| Product or component type | Fuse carrier |
| Device short name | DF10 |
| Product compatibility | DF2CA fuse cartridge DF2CN fuse cartridge |
| Poles description | 3P |
| Fuse size | 10 x 38 mm |
| Fuse type | , gG , aM |
| Control type | Toggle padlockable |
| Utilisation category | AC-20B conforming to IEC 60947-3 DC-20B conforming to IEC 60947-3 |
| [Ue] rated operational voltage | 690 V AC 690 V DC |
| [Ie] rated operational current | 32 A |
| [Ui] rated insulation voltage | 1000 V AC |
| [Uimp] rated impulse withstand voltage | 6 kV |
| Overvoltage category | III |
| Short-circuit withstand | 120 kA 400 V conforming to IEC 60947-3 |
| Power dissipation in W | 3 W maximum power dissipation by fuse |

Complementary

| | |
|------------------------|---|
| Standards | EN/IEC 60947-3 EN/IEC 60269-2 UL 4248-1 CSA C22.2 No 4248-1 EN 45545-2: R22 HL2 |
| Product certifications | IEC UL recognized CSA CCC EAC DNV-GL |

| | |
|-------------------------|--|
| Mounting support | 35 mm symmetrical DIN rail |
| Mounting position | Vertical (tolerance: +/- 23°) |
| Connections - terminals | Screw clamp terminals 1 cable(s) 1...16 mm ² rigid Screw clamp terminals 2 cable(s) 1...6 mm ² rigid Screw clamp terminals 1 cable(s) 1...16 mm ² flexible with or without Screw clamp terminals 2 cable(s) 1...6 mm ² flexible with or without |
| Tightening torque | 2 N.m - with screwdriver PZ2 2 N.m - with screwdriver flat Ø 5.5 mm |
| Height | 79.5 mm |
| Width | 52.5 mm |
| Depth | 61 mm |
| Net weight | 0.126 kg |
| Quantity per set | Set of 4 |

Environment

| | |
|---------------------------------------|--------------------------------------|
| Ambient air temperature for storage | -40...70 °C |
| Ambient air temperature for operation | -40...70 °C with derating above 20°C |
| Operating altitude | 0...2000 m without derating |
| IP degree of protection | IP20 |
| Pollution degree | 3 |
| Fire resistance | 960 °C conforming to IEC 60695-2-1 |
| Compatibility code | DF10 |

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Weight | 143 g |
| Package 1 Height | 8.85 cm |
| Package 1 width | 6.45 cm |
| Package 1 Length | 5.25 cm |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 4 |
| Package 2 Weight | 572 g |
| Package 2 Height | 6.6 cm |
| Package 2 width | 22.8 cm |
| Package 2 Length | 8.4 cm |
| Unit Type of Package 3 | S03 |
| Number of Units in Package 3 | 60 |
| Package 3 Weight | 9.006 kg |
| Package 3 Height | 30 cm |
| Package 3 width | 30 cm |
| Package 3 Length | 40 cm |

Offer Sustainability

| | |
|----------------------------|---|
| REACH free of SVHC | Yes |
| EU RoHS Directive | Compliant EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circuit Breakers](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[LUGZX66-1-61-20.0-44](#) [M39019/01-201S](#) [M39019/01-221](#) [M39019/01-323](#) [M39019/01-333](#) [M39019/01-336](#) [M39019/02-248](#) [M39019/02-311](#) [M39019/02-316](#) [M39019/04-249S](#) [M39019/05-246S](#) [M39019/06-254S](#) [M55629/1-016](#) [M55629/1-018](#) [M55629/1-021](#) [M55629/1-033](#) [M55629/1-036](#) [M55629/1-046](#) [M55629/1-048](#) [M55629/1-058](#) [M55629/1-067](#) [M55629/1-070](#) [M55629/1-079](#) [M55629/1-084](#) [M55629/1-085](#) [M55629/1-101](#) [M55629/1-109](#) [M55629/11-102](#) [M55629/1-120](#) [M55629/12-045](#) [M55629/12-046](#) [M55629/1-330](#) [M55629/1-366](#) [M55629/1-387](#) [M55629/1-401](#) [M55629/1-450](#) [M55629/2-022](#) [M55629/2-030](#) [M55629/2-072](#) [M55629/2-082](#) [M55629/2-099](#) [M55629/2-101](#) [M55629/2-102](#) [M55629/21-BM-BM](#) [M55629/21-HM-HM](#) [M55629/21-NS-NS](#) [M55629/22-NR-NR-NR](#) [M55629/22-RS-RS-RS](#) [M55629/2-347](#) [M55629/2-401](#)