



Product availability: Non-Stock - Not normally stocked in distribution facility



Main

| | |
|---------------------------|------------|
| Range | TeSys |
| Device short name | GVAS |
| Product or component type | Shunt trip |
| Device application | Control |

Complementary

| | |
|---------------------------------|--|
| Product compatibility | GV3L GV2LE GV3P GV2ME GV2P GV2L |
| [Uc] control circuit voltage | 415...440 V AC 50 Hz 480 V AC 60 Hz |
| Control circuit voltage limits | 0.7...1.1 Un |
| [Ui] rated insulation voltage | 600 V AC CSA C22.2 No 14 600 V AC UL 508 690 V AC IEC 60947-1 |
| Threshold tripping voltage | 0.75...0.2 Un |
| Inrush power in VA | 14 VA AC |
| Inrush power in W | 10.5 W DC |
| Hold-in power consumption in VA | 5 VA AC |
| Hold-in power consumption in W | 1.6 W DC |
| Operating time | 10...15 ms IEC 60947-1 |
| On-load factor | 100 % |
| Connections - terminals | Screw clamp terminals 1 0.75...2.5 mm ² flexible without cable end Screw clamp terminals 2 0.75...2.5 mm ² flexible without cable end Screw clamp terminals 1 0.75...1.5 mm ² flexible with cable end Screw clamp terminals 2 0.75...1.5 mm ² flexible with cable end Screw clamp terminals 1 0...0 in ² (1...2.5 mm ²) solid |
| Tightening torque | < 1.4 N.m screw clamp terminals |
| Mechanical durability | 10000 cycles with GV3P and GV3L 30000 cycles with GV2ME and GV2P |
| Quantity per set | Set of 10 |
| Product weight | 0.23 lb(US) (0.105 kg) |

Ordering and shipping details

| | |
|-----------------------|------------------------------------|
| Category | 22367 - MANUAL STR PROTECTOR - GV2 |
| Discount Schedule | I11 |
| GTIN | 00785901612346 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 0.25 |

| | |
|-------------------|----|
| Returnability | N |
| Country of origin | CZ |

Offer Sustainability

| | |
|----------------------------------|--|
| Sustainable offer status | Green Premium product |
| RoHS (date code: YYWW) | Compliant - since 0701 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity |
| REACH | Reference not containing SVHC above the threshold |
| Product environmental profile | Available |
| Product end of life instructions | Need no specific recycling operations |
| California proposition 65 | WARNING: This product can expose you to chemicals including: |
| ----- Substance 1 | Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. |
| ----- More information | For more information go to www.p65warnings.ca.gov |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|

GVAS...



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Motor Drives](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[GMA02](#) [R7DBP02L](#) [1300920283](#) [ST10-S](#) [GMA11](#) [GMA20](#) [R88DUA03LAAC100V30W](#) [R88DUA12HA](#) [R88DUP03LAAC100V30W](#)
[STR2](#) [VX5A1400](#) [VFD002EL11A](#) [MFMCB0030GET](#) [MFECA0030EAM](#) [1302263150](#) [1300920078](#) [R88D-GT04H](#) [R88D-GN04H-ML2](#)
[R7D-BP01H](#) [R88D-KN04L-ECT](#) [70354063](#) [79294435](#) [27358015](#) [15275008](#) [ST5-Q-EN](#) [1SFA896103R1100](#) [1SFA896103R7000](#)
[1SFA896112R1100](#) [R88D-GP08H](#) [GNCF8-11](#) [KLC35BE](#) [ST10-Q-RN](#) [1302263161](#) [SV2D10-Q-AE](#) [VX5A1300](#) [R88A-CA1C005SF-E](#)
[R88A-CR1B005NF-E](#) [SEH 71-4B](#) [U-PKZ0\(400V50HZ\)](#) [LUCC12BL](#) [LUCC12FU](#) [LU9BN11L](#) [LULC08](#) [GV2P01](#)
[UDS1UR6M50CANCZ183](#) [LC1D09M7](#) [103H7126-1740](#) [103H7823-1741](#) [111.3761.20.00E](#) [111.3761.30.00E](#)