



### Main

Range	Thalassa
Product specific application	Outdoor heavy duty
Accessory / separate part category	Fixing accessory
Product or component type	Wall fixing support
Device application	Multi-purpose
Enclosure nominal dimensions	538 MmW: 500 mm D: 320 mm 788 MmW: 500 mm D: 320 mm
Mounting location	Top and bottom, on rear of the enclosure
Range compatibility	Thalassa PHD
Device composition	Fixing elements 6 lug
Quantity per set	Set of 1

### Complementary

Material	Zinc coated steel
Surface finish	Polyester powder
Fixing mode	Visible screws - from the outside location
Permanent permissible load	180 Kg
Height	150 Mm
Width	500 Mm enclosure nominal dimension:
Depth	320 Mm enclosure nominal dimension:

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	458 G
Package 1 Height	15 Cm
Package 1 width	16 Cm
Package 1 Length	5 Cm
Unit Type of Package 2	CAR
Number of Units in Package 2	36
Package 2 Weight	25 Kg
Package 2 Height	24 Cm
Package 2 width	35 Cm
Package 2 Length	34 Cm

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	<a href="#">End Of Life Information</a>

Product Life Status : **Commercialised**

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Electrical Enclosures](#) category:*

*Click to view products by [Schneider](#) manufacturer:*

Other Similar products are found below :

[1201110001](#) [120-401](#) [120-905](#) [120-909](#) [120-403](#) [130-004](#) [MR-25L+](#) [30-8739](#) [PIP-11774SCREW](#) [30-9715](#) [30-9777-BU](#) [110-902](#) [110-901](#)  
[A16N12BLP](#) [110-406](#) [110-401](#) [110-404](#) [120-405](#) [34861601](#) [106-009](#) [106-505](#) [105-405](#) [111-005](#) [127-909](#) [106-502](#) [130-475](#) [130-503](#) [127-](#)  
[455](#) [9511150](#) [9511017](#) [9820011](#) [NSYTDB5PL](#) [137-455](#) [130-001](#) [105-904](#) [120-404](#) [137-005](#) [130-505](#) [127-406](#) [AB 1,5.0](#) [AB2.0](#) [ABM.0](#)  
[73345601](#) [F-MP](#) [H-MP](#) [M-MP](#) [PAT 12040](#) [2461000](#) [9121230](#) [79541301](#)