

# Product data sheet

Specifications



## APC Power-Saving Timer Essential SurgeArrest, 4 Outlet Wall Tap, 120V

P4GC

### Overview

Lead time Usually in Stock

### General

Provided equipment User Manual

### Physical

Color White

Depth 2.01 in (5.1 cm)

Height 6.50 in (16.5 cm)

Net Weight 0.55 lb(US) (0.25 kg)

Width 3.70 in (9.4 cm)

### Input

Input Frequency 50/60 Hz

Plug standard NEMA 5-15P

Maximum Input Current per Phase 15 A

Nominal Input Voltage 120 V

### Output

Number of power socket outlets 4

Outlet standard NEMA 5-15R

### Conformance

UL 1449 TVSS Rating 400

Product Certifications ETL

Standards UL 1449

Equipment protection policy Lifetime : \$50000

### Environmental

Ambient air temperature for operation 32...113 °F (0...45 °C)

Relative Humidity	0...95 %
Operating altitude	0...10000 ft
Ambient Air Temperature for Storage	23...113 °F (-5...45 °C)
Storage Relative Humidity	0...95 %
Storage altitude	0...50000 ft (0.00...15240.00 m)

## Surge Protection and Filtering

NM Surge Response Time (ns)	1 ns common mode
Common mode rejection	40 dB
Peak current	72 kA common mode
Surge energy rating	1080 J

## Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS
GTIN	00731304269267
Nbr. of units in pkg.	1
Package weight(Lbs)	1 lb(US) (0.45 kg)
Returnability	No
Country of origin	PH

## Packing Units

Package 1 Height	9.65 in (24.5 cm)
Package 1 width	8.90 in (22.6 cm)
Package 1 Length	2.64 in (6.7 cm)
SCC14	10731304269264
Number of Units in Package 2	6
Package 2 Weight	7.88 lb(US) (3.57 kg)
Package 2 Height	11.68 in (296.67 mm)
Package 2 width	12.13 in (308.10 mm)
Package 2 Length	19.85 in (504.19 mm)
Number of Units in Package 3	288

## Contractual warranty

Warranty	Limited Lifetime
----------	------------------

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Power Outlet Strips](#) category:*

*Click to view products by [Schneider](#) manufacturer:*

Other Similar products are found below :

[G20IG606](#) [1301430288](#) [1301430321](#) [1447B163](#) [UL602CB-6](#) [UL7408-6](#) [ULHC4-15](#) [V20IG606](#) [UL2063BD](#) [TSB](#) [4748.03](#) [4309](#) [UL7208-15](#) [3083](#) [3050F](#) [3090](#) [1301350158](#) [1301350173](#) [3085-10](#) [DAPI-USEU](#) [1583H8B1BKV](#) [1589H77D1JV](#) [1589H77G1JV](#) [1589H8D1BKRRV](#) [1589H8G1BKRRV](#) [DTEL2](#) [TLP712B](#) [STRIKER](#) [TLM825SA](#) [UL620-15](#) [3SP](#) [1301370166](#) [130143-0153](#) [1301370216](#) [602](#) [6SP](#) [1583H12B1BKXRA](#) [1583H8B1SBK](#) [1584B10](#) [1589H48G1](#) [1589T6D1](#) [1301350185](#) [1301350186](#) [1301350187](#) [1301350197](#) [1301350233](#) [1301350234](#) [1301350201](#) [1301350207](#) [1301350209](#)