



Main

| | |
|---------------------------|-----------------------|
| Range of Product | Modicon M221 |
| Product or Component Type | Serial line cartridge |
| Product Compatibility | Modicon M221C |

Complementary

| | |
|-----------------------------|--|
| Integrated connection type | Non isolated serial link - screw terminal block RS232 Non isolated serial link - screw terminal block RS485 |
| Transmission rate | 1.2...115.2 kbit/s (115.2 kbit/s by default) 49.21 ft (15 m) RS485 1.2...115.2 kbit/s (115.2 kbit/s by default) 9.84 ft (3 m) RS232 |
| Communication port protocol | Non isolated serial link Modbus master/slave - RTU/ASCII or SoMachine-Network |
| Insulation | Non-insulated between lines and internal logic |
| Height | 1.61 in (41 mm) |
| Depth | 0.59 in (15 mm) |
| Width | 1.38 in (35 mm) |
| Net Weight | 0.03 lb(US) (0.015 kg) |

Ordering and shipping details

| | |
|-------------------|------------------------------|
| Category | 22533-M2XX PLC & ACCESSORIES |
| Discount Schedule | MSX |
| GTIN | 3606480649141 |
| Returnability | Yes |
| Country of origin | CN |

Packing Units

| | |
|------------------------------|-----------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 1.41 in (3.569 cm) |
| Package 1 Width | 1.87 in (4.742 cm) |
| Package 1 Length | 2.75 in (6.985 cm) |
| Package 1 Weight | 1.06 oz (30.0 g) |
| Unit Type of Package 2 | CAR |
| Number of Units in Package 2 | 75 |
| Package 2 Height | 5.67 in (14.4 cm) |
| Package 2 Width | 11.50 in (29.2 cm) |
| Package 2 Length | 15.55 in (39.5 cm) |
| Package 2 Weight | 7.32 lb(US) (3.32 kg) |

Offer Sustainability

| | |
|----------------------------|---|
| Sustainable offer status | Green Premium product |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation | REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| China RoHS Regulation | China RoHS Declaration |
| RoHS exemption information | Yes |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End Of Life Information |
| PVC free | Yes |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Controller Accessories](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[1043501](#) [1061701](#) [1088134](#) [1088135](#) [1624092](#) [2200000258](#) [2400195](#) [24679702](#) [26546842](#) [26546843](#) [26546846](#) [26546849](#) [2688129](#)
[2700992](#) [2701182](#) [2701185](#) [2701189](#) [2701190](#) [2701250](#) [2702275](#) [2740850](#) [2860947](#) [2866116](#) [2878599](#) [2885359](#) [2900889](#) [2908739](#)
[2908783](#) [2908788](#) [2913157](#) [2913158](#) [2962463](#) [2981897](#) [2988146](#) [2988162](#) [2988793](#) [3005013](#) [3F88L-CR002C](#) [3G3AX-AL2025](#) [3G3AX-](#)
[CUSBM002-E](#) [3G3AX-EFIB3](#) [3G3AXNFI24](#) [3G3AX-NFO02](#) [3G3AX-OP01](#) [3G3AX-OPCN1](#) [3G3AX-OPCN3](#) [3G3AX-ZCL2](#)
[3RK19042AB02](#) [50073216-08](#) [50073217-08](#)