

Magnecraft

191 Waukegan Rd, Ste 206

Northfield, IL 60093-2743

Phone: (847)441-2526


Fax: (847)441-2522

Email: relays@magnecraft.com

Item # W199AX-9, 199 Open Style Power Relays / DPST-NO, 40 Amp Rating (AC)

QUOTE

199 Open Style Power Relays / DPST-NO, 40 Amp Rating (AC)



[SPECIFICATIONS](#) · [CONTACT CHARACTERISTICS](#) · [COIL CHARACTERISTICS](#) · [PERFORMANCE CHARACTERISTICS](#) · [ENVIRONMENT](#) · [PRODUCT CERTIFICATIONS](#)

SPECIFICATIONS

Control	AC
Nominal Input Voltage	120 VAC 50/60 Hz
Coil Resistance	290 Ohm
Cover Style	Open Style
Weight	227 to 312 G

CONTACT CHARACTERISTICS

Contact Rating	40 A
Contact Configuration	DPST-NO
Contact Materials	Silver Alloy
Maximum Switching Voltage	600 V

Switching Current at Voltage (AC, Resistive)	40 A at 277 V 50 / 60 Hz
Switching Current at Voltage (DC, Resistive)	40 A at 28 VDC
Switching Current at Voltage (Pilot Duty)	A600
Minimum Switching Requirement	1 A at 12 VAC

COIL CHARACTERISTICS

Operating Range - % of Nominal (AC)	85 to 110 %
Operating Range - % of Nominal (DC)	80 to 110 %
Average Consumption (AC)	10 VA
Average Consumption (DC)	4 W
Drop-out Voltage Threshold (DC)	10 %
Drop-out Voltage Threshold (AC)	10 %

PERFORMANCE CHARACTERISTICS

Electrical Life (UL508), Operations at Rated Current (Resistive)	100000
Mechanical Life, Unpowered	1000000
Operating Time (Response Time)	30 ms

ENVIRONMENT

Ambient Air Temperature around the Device - Storage	-40 to +85 °C
Ambient Air Temperature around the Device - Operation	-40 to +55 °C
Connection	8 AWG 10 mm ²
Terminal Tightening Torque	7 to 9 in lb 0.8 to 1.0 N·m

PRODUCT CERTIFICATIONS

Agency Approvals	UL CE CSA
------------------	-----------------

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [General Purpose Relays](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[PCN-105D3MH,000](#) [59641F200](#) [LY1SAC110120](#) [5X827E](#) [5X837F](#) [5X840F](#) [5X842F](#) [5X848E](#) [LY2N-AC120](#) [LY2S-AC220/240](#) [LY2-US-AC120](#) [LY3-US-AC120](#) [LY4F-UA-DC12](#) [LY4F-UA-DC24](#) [LY4F-US-AC120](#) [LY4F-US-AC240](#) [LY4F-US-DC24](#) [LY4F-VD-AC110](#) [LYQ20DC12](#) [M115C60](#) [M115N010](#) [M115N0150](#) [6031007G](#) [603-12D](#) [61211T0B4](#) [61212T400](#) [61222Q400](#) [61243B600](#) [61243C500](#) [61243Q400](#) [61311BOA2](#) [61311BOA6](#) [61311BOA8](#) [61311C0A2](#) [61311COA1](#) [61311COA6](#) [61311F0A2](#) [61311QOA1](#) [61311QOA4](#) [61311T0D6](#) [61311TOA6](#) [61311TOA7](#) [61311TOB3](#) [61311TOB4](#) [61311U0A6](#) [61312Q600](#) [61312T400](#) [61312T600](#) [61313U200](#) [61313U400](#)