XACA9412

Harmony, round head for push button, spring return, black, booted

Product availability: Stock - Normally stocked in distribution facility



Main	
Range of product	Harmony XAC
Product or component type	Head for push-button
Component name	XACA

Complementary

Complementary		
Marking	Unmarked	
Operator additional information	Booted	
Cap/operator or lens colour	Black	
Product compatibility	XACA	
Mounting location	Front of enclosure	
Sale per indivisible quantity	10	
Standards	CSA C22.2 No 14 EN/IEC 60204-32 UL 508 EN/IEC 60947-5-1	
Ambient air temperature for operation	-13158 °F (-2570 °C)	
Ambient air temperature for storage	-40158 °F (-4070 °C)	
Vibration resistance	15 gn 10500 Hz IEC 60068-2-6	
Shock resistance	100 gn IEC 60068-2-27	
Overvoltage category	Class II IEC 61140	
IP degree of protection	IP65 IEC 60529	
IK degree of protection	IK08 EN 50102	
Product weight	0.02 lb(US) (0.01 kg)	

Ordering and shipping details

Category	22473 - PUSHBUTTON, PENDANTS
Discount Schedule	CS2
GTIN	00785901645146
Nbr. of units in pkg.	10
Package weight(Lbs)	0.02
Returnability	Υ
Country of origin	CZ

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Nickel compounds, which is known to the State of California to cause cancer, and
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
More information	For more information go to www.p65warnings.ca.gov

Warranty period

18 months

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

LW1B-A0L LW1B-M0 680-4000-00 704.012.618 704.096.0 704.411.018I 704.412.0 704.633.1 704.730.1 704.733.0 84-1221.7 862.8102

G6083 9PA24 A0107X A019307 ADC-418G 12MA7 ASDHHY-B HW1F-3G HW1M-L2222 HW4S-31L 200-.704-00 JS-10008 JS
10083 JS-10118 JS-10133 JS-10277 JS-10389 JS-150 JS-552 JS-555 JS-68 JS-6-B JS-91 JS-94 22-211.011 9001KXSDC 92-458.500

SAPT654133 2PA3 SW53AA2 302561 LW2L-A0 3E-10.4 468-10243-001 51-030.005 JM-13 JS-10120 JS-138-B