Product data sheet Characteristics

XACA9414

Harmony, round head for push button, spring return, red, booted

Product availability: Stock - Normally stocked in distribution facility



Main	
Range of product	Harmony XAC
Product or component type	Head for push-button
Component name	XACA

Complementary

Complementary	
Marking	Unmarked
Operator additional information	Booted
Cap/operator or lens colour	Red
Product compatibility	XACA
Mounting location	Front of enclosure
Sale per indivisible quantity	10
Standards	EN/IEC 60204-32 UL 508 CSA C22.2 No 14 EN/IEC 60947-5-1
Ambient air temperature for operation	-13158 °F (-2570 °C)
Ambient air temperature for storage	-40158 °F (-4070 °C)
Vibration resistance	15 gn 10500 Hz IEC 60068-2-6
Shock resistance	100 gn IEC 60068-2-27
Overvoltage category	Class II IEC 61140
IP degree of protection	IP65 IEC 60529
IK degree of protection	IK08 EN 50102
Product weight	0.02 lb(US) (0.01 kg)

Ordering and shipping details

Category	22473 - PUSHBUTTON, PENDANTS
Discount Schedule	CS2
GTIN	00785901645160
Nbr. of units in pkg.	1
Package weight(Lbs)	0.02
Returnability	Y
Country of origin	CZ

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Nickel compounds, which is known to the State of California to cause cancer, and
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
More information	For more information go to www.p65warnings.ca.gov

Contractual warranty

Warranty period

18 months

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Schneider manufacturer:

Other Similar products are found below :

 LW1B-A0L
 LW1B-M0
 680-4000-00
 704.012.618
 704.411.018I
 704.412.0
 704.633.1
 704.730.1
 704.733.0
 84-1221.7
 862.8102
 G6083

 9PA24
 A0107X
 A019307
 ADC-418G
 12MA7
 ASDHHY-B
 HW1F-3G
 HW1M-L2222
 HW4S-31L
 200-.704-00
 JS-10008
 JS-10083
 JS

 10118
 JS-10133
 JS-10277
 JS-10389
 JS-552
 JS-555
 JS-68
 JS-91
 JS-94
 22-211.011
 9001KXSDC
 92-458.500
 SAPT654133

 2PA3
 SW53AA2
 302561
 LW2L-A0
 3E-10.4
 3E-12.0
 468-10243-001
 51-030.005
 JM-13
 JS-10120
 JS-138-B