# Product data sheet Characteristics

## **XAPK1501**

Empty control station, Harmony XAP, XB2 SL, zinc alloy, yellow, M20, 1 cut out 22mm, 80x80x77mm, UL cULus





#### Main

- Trialin	
Range of product	Harmony XAP
Product or component type	Die-cast empty control station
Device short name	XAPK
Product destination	For Ø 22 mm control and signalling units
Product front plate size	80 x 80 mm
Usable depth	74.5 Mm
Number of cut-out	1 cut-out
Colour of base of enclosure	Yellow (RAL 1004)
Colour of cover	Yellow (RAL 1004)
Material	Die cast zinc
Sale per indivisible quantity	1
IP degree of protection	IP65 conforming to EN/IEC 60529 and EN/IEC 60947-5-1 IP66 conforming to EN/IEC 60529 and EN/IEC 60947-5-1 IP69 conforming to EN/IEC 60529 and EN/IEC 60947-5-1

### Complementary

Number of vertical rows	1
Number of horizontal rows	1
Cut-out dimensions	Ø 22 mm
Control station type	Metal
Cable entry	2 x cable gland conforming to ISO
Thread type	M20 x 1.5
CAD overall width	80 Mm
CAD overall height	80 Mm
CAD overall depth	77 Mm
Product weight	0.605 Kg

#### Environment

Protective treatment	TC	
Ambient air temperature for storage	-4070 °C	
Ambient air temperature for operation	-4070 °C	
Electrical shock protection class	Class I conforming to EN/IEC 61140	
Degree of protection	UL type 4 conforming to UL 50 E UL type 4X conforming to UL 50 E	
IK degree of protection	IK07 conforming to EN/IEC 62262	

Resistance to chemical agents	Special treatment can be obtained on request
Product certifications	UL CULus EAC
Packing Units	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.7 Cm
Package 1 Width	8.0 Cm
Package 1 Length	8.0 Cm
Package 1 Weight	600.0 G
Unit Type of Package 2	S02
Number of Units in Package 2	12
Package 2 Height	15.0 Cm
Package 2 Width	30.0 Cm
Package 2 Length	40.0 Cm
Package 2 Weight	7.515 Kg
Offer Sustainability	
Sustainable offer status	Green Premium product
REACh Regulation	<sup>™</sup> REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration

Yes

Product Environmental Profile

to www.P65Warnings.ca.gov

WARNING: This product can expose you to chemicals including: Lead and-lead compounds, which is known to the State of California to cause can-

cer and birth defects or other reproductive harm. For more information go-

Product Life Status : Commercialised

RoHS exemption information

**Environmental Disclosure** 

California proposition 65



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Fixings category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

893102000 LZZ1A 0098.9234 630155 6PA113 6PA147-E6 700106 700109 700303A56 704-6001 704.960.9 704.965.2 704.966.0

710082-B11 71M1048 757200264 79215938 MHU35 MHU37 807039-1 825.003.011 825.005.011 835.900.023 MML52C10C

MML72EEK MML92HGH MML93K 84211M02CNNS 843187-000 843487-000 84-901 84-9420 9002EN16 9006EN16 9006EN28B 92
971.0 933PA1 PN415 986290-4 98-925.9 11-906 9PA35 9PA44 A3DJ-7112 HDS-08-T-B HDW23FLATLOCKINGRING HK-1 12PA12-W 130361-0002 AFPIN-01