Product data sheet Characteristics

XB5KS2G4

Harmony XB5, Illuminated buzzer, plastic, red, Ø22, continuous or intermittent tone, 110...120 V AC





Main

Range of product	Harmony XB5
Bezel material	Plastic
Product or component type	Annunciator
Mounting diameter	22 Mm
Cap/operator or lens colour	Red

Complementary

[Us] rated supply voltage	110120 V +/- 10 %	
Supply circuit type	AC/DC	
Supply frequency	50/60 Hz	
Current consumption	<= 20 mA	
Signalling type	Continuous or intermittent tone	
Resistance to high pressure washer	9000000 Pa at 80 °C, distance : 0.1 m	
Height	29 Mm	
Width	29 Mm	
Depth	55 Mm	
Product weight	0.024 Kg	

Environment

Noise level	90 DB at 6.8 kHz distance 0.1 m (+/- 10 %)	
Protective treatment	TH	
Ambient air temperature for storage	-4070 °C	
Ambient air temperature for operation	-4070 °C	
Overvoltage category	Class II conforming to IEC 60536	
IP degree of protection	IP20 (rear face) conforming to IEC 60529 IP66 conforming to IEC 60529 IP67 IP69 IP69K	
NEMA degree of protection	NEMA 13 NEMA 4X	
IK degree of protection	IK05 conforming to EN 50102 IK03 conforming to IEC 50102	

IEC 60947-5-4	
UL 508	
JIS C8201-5-1	
EN 60947-5-4	
CSA C22.2 No 14	
EN 60947-5-1	
IEC 60947-5-1	
EN 60947-1	
IEC 60947-1	
JIS C8201-1	
UL listed	
CSA	
BV	
	JIS C8201-5-1 EN 60947-5-4 CSA C22.2 No 14 EN 60947-5-1 IEC 60947-5-1 EN 60947-1 IEC 60947-1 JIS C8201-1 UL listed CSA

Packing Units

0	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	28 G
Package 1 Height	3.4 Cm
Package 1 width	3.4 Cm
Package 1 Length	6 Cm
Unit Type of Package 2	S01
Number of Units in Package 2	88
Package 2 Weight	2.76 Kg
Package 2 Height	15 Cm
Package 2 width	15 Cm
Package 2 Length	40 Cm
Unit Type of Package 3	P06
Number of Units in Package 3	1408
Package 3 Weight	43.016 Kg
Package 3 Height	70 Cm
Package 3 width	60 Cm
Package 3 Length	80 Cm

Offer Sustainability

Green Premium product
☑ REACh Declaration
Pro-active compliance (Product out of EU RoHS legal scope) EV EU RoHS Declaration
Yes
₽¥Yes
☑ China RoHS Declaration
Product Environmental Profile
The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Product Life Status : Commercialised



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Pushbutton Switches category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

8940K2012 LW1L-M1C10V-A LW1L-M1C70-A LW2L-A1C20M-GD LW2L-M1C20M-A 60324L M22-D-R-GB0/K11 M7E-HRN2
67021K512 67081K512X 701PB580 7199K101 810K12910 810KSV30B MML21EA2ADK MML21KA3ABK MML23KA3AC05K-001
MML23KW3AA01W 8418K2 8442K2 8442K3 8450K1 860K11911T01A 861901 861K11911T01A07 861K13810T00A14 861K13911
8646AB6X718UL 8646ABUL 9001KXRK 907AYY100 PMHD155A1 9533CD4+U574+U4922 95-414.000 99-450.837 99-453.837
PV3H2B0NN-341 1203MRA A22NZBGANGA A22NZBNANGA A22NZMPATRA A2PMA1X03EC56 A3A-5123-02 A3A-7140 A3A-7310 A3A-7340 A3U-TMW-A2C-5M A595 12037A2ULCSA ABD122N-B