# Product data sheet Characteristics

# XUM2BNANL2R PHOTOCELL RECEIV MINIATURE METAL THRU BE

#### Certifications and standards

Product certifications

CE CTick

**CULus** 

#### Connections

Cable length	2 m
Electrical connection	Cable

#### Electrical

[Us] rated supply voltage	1224 V DC reverse polarity protection	
Current consumption	13 mA no-load	
Electronic sensor type	Photo-electric sensor receiver	
Supply circuit type	DC	
Supply voltage limits	1030 V DC	
Switching capacity in mA	≤ 100 mA overload and short-circuit protection	
Voltage drop	≤ 3 V closed state	

#### **Environment**

IP degree of protection	IP65 IEC 60529
	IP67 IEC 60529
	IP69K DIN 40050
Ambient air temperature for operation	-4070 °C
Ambient air temperature for storage	-3060 °C
Emission	Red
Shock resistance	500 m/s² 10 x in each direction X, Y and Z IEC 60068-2-27
Vibration resistance	+/- 1.5 mm 1055 Hz 2 hours in each direction X, Y and Z IEC 60068-2-6

#### **Functional**

[Sn] nominal sensing distance	15 m
Detection system	Through beam
Discrete output type	NPN
Status LED	1 LED orange output state 1 LED green stability 1 LED orange transmitter 1 LED red/green receiver/supply on
Wiring technique	3 wires

### Performance

Delay first up	≤ 100 ms
Delay recovery	0.5 ms
Delay response	0.5 ms
Switching frequency	1000 Hz

## Physical characteristics

Enclosure material	Zamak and stainless steel
Lens material	Glass
Material	Metal
Product weight	0.128 kg

## Product identification

Range of product	Osiris	
Sensor design	Miniature	
Sensor name	XUM	
Series name	Application	



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Photoelectric Sensors category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

7442AD2X5FRX EX-19B-LP EX-19SB-PN 7443AR0X5FRX 7452AD4D4NNX F3WD052C5M 7655AR-04-F-1-2-RX 7694ADE04DS2X FE7C-FRC6S-M FX-305 PM-R24-R Q45VR2FPQ 13104RQD07 E3JUXM4MN E3L2DC4 E3S3LE21 E3SCT11M1J03M E3SDS20E21 E3VDS70C43S E3XNM16 BR23P HOA6563-001 OJ-3307-30N8 OS-311A-30 P32013 P34036 P43004 P56001 P60001 PB10CNT15PO S14132 935286-000 S52101 S56258 SH-21E EX-L261-P FD-SN500 FE7B-FDRB6-M SU-79 T36342 T40300 T60001 PD60CNX20BP FX-302-HY FZS PM-T64W PX-22 PZ2-51P CX-491-P-J CYNUTX10