

Product data sheet

Characteristics

XZCC12FCP40B

female, M12, 4-pin, elbowed connector - cable gland Pg 7

Product availability: Stock - Normally stocked in distribution facility



Main

| | |
|------------------------------------|---|
| Accessory / separate part category | Cabling accessories |
| Accessory / separate part type | Connector |
| Electrical connection | Elbowed female connector M12, 4 pins |
| Collar material | Plastic |
| Status LED | Without |
| Cable connection | Screw terminal / wire size $\leq 0.75 \text{ mm}^2$ / clamping capacity 0.12...0.24 in (3...6 mm) |

Complementary

| | |
|------------------------|---------------------------|
| Cable gland type | Pg 7 |
| Cable connector fixing | Screw-on |
| System Voltage | 125 V AC 150 V DC |
| Line Rated Current | 3 A |
| Enclosure material | Plastic |
| Insulating resistance | $> 1000 \text{ G}\Omega$ |
| Contact resistance | $\leq 8000 \mu\text{Ohm}$ |
| Product weight | 0.04 lb(US) (0.02 kg) |

Environment

| | |
|---------------------------------------|----------------------------|
| IP degree of protection | IP67 |
| Ambient air temperature for operation | -40...185 °F (-40...85 °C) |

Ordering and shipping details

| | |
|-----------------------|------------------------|
| Category | 22483 - MACHINE CABLES |
| Discount Schedule | DS3 |
| GTIN | 00785901806028 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 4.0000000000000001E-2 |
| Returnability | Y |
| Country of origin | HU |


Offer Sustainability

| | |
|---------------------------|--|
| RoHS (date code: YYWW) | Compliant - since 0726 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity |
| California proposition 65 | WARNING: This product can expose you to chemicals including: |
| ----- Substance 1 | Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and |
| ----- Substance 2 | Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. |
| ----- More information | For more information go to www.p65warnings.ca.gov |

Contractual warranty


| | |
|-----------------|-----------|
| Warranty period | 18 months |
|-----------------|-----------|

Dimensions



(1) Cable gland : no. 7 plastic (Pg 7)

Connections and Schemes



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Sensor Fixings & Accessories](#) category:

Click to view products by [Schneider](#) manufacturer:

Other Similar products are found below :

[F03-01 SUS304 BINIL](#) [8000-5130](#) [FH-AP1](#) [PH-1-10M](#) [PH-1-20M](#) [PH-2-30M](#) [AC201](#) [R4](#) [ADI-LC3S](#) [EC18-WELL](#) [PC-15015](#) [K35-4](#) [A-1923](#) [SS-12143](#) [STA12](#) [AP4-T](#) [PH-1-50M](#) [R6](#) [D01051301](#) [43912557-020](#) [MF-1 D=3.2](#) [BGN-035](#) [E39-L7](#) [ZX-SB11](#) [D01070602](#) [606072](#) [606075](#) [Y92ES12PVC4A10ML](#) [Y92ES12PVC4S5ML](#) [SA9Z-F11](#) [Z49-SF1](#) [ZFV-XMF2](#) [E4R-R12A-CS3M010](#) [28810-2](#) [ZX-SW11E V3](#) [CCS-PL-LDR2-70](#) [E4R-R12A-CS3M020](#) [BS-1T CHITAN](#) [F03-01 CHITAN](#) [CCS-PD2-1012](#) [ZX-SFW11E V3](#) [PH-2-90M](#) [PH-2-5M](#) [XMLZL008](#) [AC244](#) [28810-1](#) [PH-1-40M](#) [SS-12225](#) [32043-500](#) [81532111](#)