Product data sheet Characteristics

XZCP53P12L2

Pre wired connectors XZ, elbowed female, M12, 8 pins, cable PUR 2 m



Main

Range of product	Telemecanique Cabling components	
Accessory / separate part category	Cabling accessory	
Accessory / separate part type	Pre-wired connectors	
Series name	Application	

Complementary

Electrical connection	Straight female connector M12, 8 pins
Cable connector fixing	Screw-on
Collar material	Nickel plated brass
Status LED	Without
Cable length	2 M
Cable outer diameter	6.4 Mm
Cable composition	8 x 0.34 mm²
Wire insulation material	PUR
[Ue] rated operational voltage	30 V AC 36 V DC
[In] rated current	2 A
Contact resistance	5000 MOhm
Minimum insulating resistance	1 GΩ
Product weight	0.1 Kg

Environment

IP degree of protection	IP69K IP65 IP67
Ambient air temperature for storage	-4090 °C

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Weight	130 G	
Package 1 Height	4 Cm	
Package 1 width	17 Cm	
Package 1 Length	17 Cm	
Unit Type of Package 2	S02	
Number of Units in Package 2	20	
Package 2 Weight	2.951 Kg	

Package 2 Length	40 Cm	
Package 2 width	30 Cm	
Package 2 Height	15 Cm	

Offer Sustainability

REACh Regulation	REACh Declaration	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EVEL RoHS Declaration	
Mercury free	Yes	
RoHS exemption information	formation	
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California tocause birth defects or other reproductive harm. For more information goto www.P65Warnings.ca.gov	

Product Life Status: Commercialised

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Cables / Actuator Cables category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

```
60963 60964 703000D02F2002 703001D02F0602 703001D02F300 704000D02F120 773032K02F030 802027107404-1 802027213811-1 804001A09M150 805001A09M0502 84914-0235 84914-0237 885030A09M020 8R4J30E03C3003 1200651332 1200651713 1200660844 1200660845 1200661173 1200680071 1200720053 1200720081 1200720099 1200720217 1200800231 1200860125 1200870123 1200980102 1200650267 1200650298 1200660183 1200660782 1200660849 1200661295 1200661297 1200661342 1200661343 1200670080 1200670020 1200670220 1200680331 1200720252 1200730184 1200860344 1200870359 1200870643 1200980008 1200980031 1210502211 1210400542
```