## ZCEF2

# limit switch head ZCE - M12 steel roller plunger



Product availability: Stock - Normally stocked in distribution facility



| Main                      |   |
|---------------------------|---|
| Range of product          | OsiSense XC   |
| Series name               | Standard format   |
| Product or component type | Limit switch head   |
| Device short name         | ZCE   |
| Head type                 | M12 plunger head  |
| Product compatibility     | XCKP<br>XCKT<br>XCKD<br>XCMD  |
| Associated body           | ZCMD81L1 ZCMD39L2 ZCMD21M12 ZCMD25L2 ZCMD41L5 ZCMD29L1 ZCMD37L5 ZCMD81L5 ZCMD25L1 ZCMD25L1 ZCMD25L5 ZCMD21L08U78 ZCMD21C12 ZCMD29C12 ZCMD37L2 ZCMD37L1 ZCMD37L1 ZCMD41L1 ZCMD37L1 ZCMD41L1 ZCMD37L1 ZCMD81L1 ZCMD81L1 ZCMD81L1 ZCMD81L2 ZCMD81L1 ZCMD81L2 ZCMD81L2 ZCMD81L2 ZCMD81L2 ZCMD81L2 ZCMD81L2 ZCMD21L5 ZCMD21L2 |
| Movement of operating     | Linear  |
| head                      |   |
| Type of operator          | Roller plunger spring return metal  |
| Type of approach          | Lateral approach 2 directions   |

#### Complementary

| Switch actuation | By 30° cam |
|------------------|------------|
|                  |            |
| Positive opening | With       |

#### Environment

| Ambient air temperature for operation | -13158 °F (-2570 °C) |
|---------------------------------------|----------------------|
| Ambient air temperature for storage   | -40158 °F (-4070 °C) |
| Environmental characteristic          | Standard environment |

### Ordering and shipping details

| Category              | 22413 - LIMIT SWITCH, IEC, MINIATURE |
|-----------------------|--------------------------------------|
| Discount Schedule     | Т                                    |
| GTIN                  | 00785901434023                       |
| Nbr. of units in pkg. | 1                                    |
| Package weight(Lbs)   | 8.000000000000002E-2                 |
| Returnability         | Υ                                    |
| Country of origin     | ID                                   |

### Offer Sustainability

| Sustainable offer status         | Green Premium product  |
|----------------------------------|--|
| RoHS (date code: YYWW)           | Compliant - since 0851 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity         |
| REACh                            | Reference not containing SVHC above the threshold  |
| Product end of life instructions | Need no specific recycling operations  |
| California proposition 65        | WARNING: This product can expose you to chemicals including:   |
| Substance 1                      | Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and                                |
| Substance 2                      | Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. |
| More information                 | For more information go to www.p65warnings.ca.gov  |
|                                  |  |

#### Contractual warranty

| Warranty period | 18 months |
|-----------------|-----------|

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Schneider manufacturer:

Other Similar products are found below:

LW1B-A0L LW1B-M0 680-4000-00 704.012.618 704.096.0 704.411.018I 704.412.0 704.633.1 704.730.1 704.733.0 84-1221.7 862.8102

G6083 9PA24 A0107X A019307 ADC-418G 12MA7 ASDHHY-B HW1F-3G HW1M-L2222 HW4S-31L 200-.704-00 JS-10008 JS
10083 JS-10118 JS-10133 JS-10277 JS-10389 JS-150 JS-552 JS-555 JS-68 JS-6-B JS-91 JS-94 22-211.011 9001KXSDC 92-458.500

SAPT654133 2PA3 SW53AA2 302561 LW2L-A0 3E-10.4 468-10243-001 51-030.005 JM-13 JS-10120 JS-138-B