## ZCKD41

limit switch head ZCKD - thermoplastic roller lever variable length







Main	
Range of product	OsiSense XC
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKL XCKM XCKS

Associated body	ZCKL1
2	ZCKL1H7
	ZCKL5
	ZCKL5H7
	ZCKL6
	ZCKL6H7
	ZCKL7
	ZCKL7H7
	ZCKL8
	ZCKL8H7
	ZCKLD31
	ZCKLD31H7
	ZCKLD35
	ZCKLD35H7 ZCKLD37
	ZCKLD37 ZCKLD37H7
	ZCKLD39
	ZCKLD39H7
	ZCKM1
	ZCKM1H29
	ZCKM1H7
	ZCKM5
	ZCKM5H29
	ZCKM5H7
	ZCKM6
	ZCKM6H29
	ZCKM6H7
	ZCKM7
	ZCKM7H29
	ZCKM7H7 ZCKM8
	ZCKM8H29
	ZCKM8H7
	ZCKM9
	ZCKM9H29
	ZCKMD31
	ZCKMD31H29
	ZCKMD31H7
	ZCKMD35
	ZCKMD35H29
	ZCKMD35H7
	ZCKMD37
	ZCKMD37H29
	ZCKMD37H7
	ZCKMD39
	ZCKMD39H29 ZCKMD39H7
	ZCKMD39H7 ZCKS1
	ZCKS1H29
	ZCKS2
	ZCKS2H29
	ZCKS5
	ZCKS5H29
	ZCKS6
	ZCKS6H29
	ZCKS7
	ZCKS7H29
	ZCKS8
	ZCKS8H29
	ZCKS9
	ZCKS9H29
	ZCKS9H29 ZCKSD31
	ZCKS9H29 ZCKSD31 ZCKSD31H29
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37 ZCKSD37H29
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37 ZCKSD37H29 ZCKSD39
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37 ZCKSD37H29 ZCKSD39 ZCKSD39H29
Movement of operating head	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37 ZCKSD37H29 ZCKSD39
	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37 ZCKSD37H29 ZCKSD39 ZCKSD39H29
head	ZCKS9H29 ZCKSD31 ZCKSD31H29 ZCKSD35 ZCKSD35H29 ZCKSD37 ZCKSD37 ZCKSD39 ZCKSD39 ZCKSD39H29 Rotary Roller lever spring return thermoplastic (adjustable

## Complementary

Switch actuation	By 30° cam
Positive opening	Without
Head material	Plastic

#### Environment

Ambient air temperature for operation	-13158 °F (-2570 °C)
Ambient air temperature for storage	-40158 °F (-4070 °C)
Environmental characteristic	Standard environment

## Ordering and shipping details

Category	22416 - LIMIT SWITCHES,IEC,XCKL
Discount Schedule	Т
GTIN	00785901647096
Nbr. of units in pkg.	1
Package weight(Lbs)	0.20999999999999999
Returnability	Y
Country of origin	ID

## Offer Sustainability

Sustainable offer status	Green Premium product
RoHS (date code: YYWW)	Compliant - since 1012 - Schneider Electric declaration of conformity
REACh	Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations
California proposition 65	WARNING: This product can expose you to chemicals including:
Substance 1	Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and
Substance 2	Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm.
More information	For more information go to www.p65warnings.ca.gov

#### Contractual warranty

Warranty period

18 months

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Limit Switches category:

Click to view products by Schneider manufacturer:

Other Similar products are found below :

 5ML1-E1
 5ML31
 LZG1
 LZL1-6C
 622EN114-R
 622EN18-6
 622EN224-6B
 622EN230
 622EN237-R
 622EN69-3
 622EN85-RB
 MA-10019

 6PA109
 7LS51
 83547001
 83725002
 83830001
 83840701
 83841001
 83881140
 8AS42
 8LS10
 8LS125-4PG
 8LS152-4PGN20
 914CE16 

 3A
 914CE3-3L1
 915PA10
 91MCE16-P2O
 924CE16-Y3
 924CE1-S6
 924CE1-T25A
 924CE1-T3
 924CE1-T9A
 924CE2-T9
 924CE31-Y20 

 X5
 924CE31-Y3L1
 GL-10054
 GLAB26J2B
 GLDB03C-6
 GLDC05C
 GLZ324
 H3141CAKAA
 RDI-G-L5B
 DD-10000
 DT-2R3-A7

 14CE16-3N28
 14CE18-N15
 151ML3-E1
 E3102BAAAA
 BFL1-AW1-S