## Product data sheet Characteristics

# ZCKY52 limit switch lever ZCKY - glass fiber round lever 3 mm L=125 mm - -40..120 °C

Product availability: Non-Stock - Not normally stocked in distribution facility



(?)

| Main                       |   |
|----------------------------|---|
| Range of product           | OsiSense XC   |
| Series name                | Standard format   |
| Product or component type  | Limit switch lever  |
| Device short name          | ZCKY  |
| Product compatibility      | ХСКЈ  |
| Associated head            | ZCKE05  |
| Movement of operating head | Rotary  |
| Type of operator           | Rod lever spring return glass fiber (round rod 3 mm,<br>L = 125 mm) |
| Type of approach           | Lateral approach  |

#### Complementary

| Switch actuation | By any moving part |
|------------------|--------------------|
| Positive opening | Without            |

#### Environment

| 50248 °F (10120 °C) high temperature<br>-40158 °F (-4070 °C) low temperature<br>-13158 °F (-2570 °C) standard environment |   |
|---|---|
| -40158 °F (-4070 °C) low temperature<br>50248 °F (10120 °C) high temperature<br>-40158 °F (-4070 °C) standard environment |   |
| High temperature<br>Low temperature<br>Standard environment   |   |
|   | -40158 °F (-4070 °C) low temperature<br>-13158 °F (-2570 °C) standard environment<br>-40158 °F (-4070 °C) low temperature<br>50248 °F (10120 °C) high temperature<br>-40158 °F (-4070 °C) standard environment<br>High temperature<br>Low temperature |

#### Ordering and shipping details

| Category              | 22411 - LIMIT SWITCHES,IEC,XCKJ |
|-----------------------|---------------------------------|
| Discount Schedule     | Т                               |
| GTIN                  | 00785901466932                  |
| Nbr. of units in pkg. | 1                               |
| Package weight(Lbs)   | 5.99999999999998E-2             |
| Returnability         | Ν                               |
| Country of origin     | FR                              |
|                       |                                 |

#### Offer Sustainability

| Sustainable offer status         | Green Premium product   |
|----------------------------------|---|
| RoHS (date code: YYWW)           | Compliant - since 1037 - Schneider Electric declaration of conformity                       |
| REACh                            | Reference not containing SVHC above the threshold   |
| Product end of life instructions | Need no specific recycling operations   |
| California proposition 65        | WARNING: This product can expose you to chemicals including:                                |
| Substance 1                      | Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and |



| Substance 2      | Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. |
|------------------|--|
| More information | For more information go to www.p65warnings.ca.gov  |

### Contractual warranty

Warranty period

18 months

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Switch Actuators category:

Click to view products by Schneider manufacturer:

Other Similar products are found below :

 LW1B-A0L
 LW1B-M0
 680-4000-00
 704.012.618
 704.411.018I
 704.412.0
 704.633.1
 704.730.1
 704.733.0
 84-1221.7
 862.8102
 G6083

 9PA24
 A0107X
 A019307
 ADC-418G
 12MA7
 ASDHHY-B
 HW1F-3G
 HW1M-L2222
 HW4S-31L
 200-.704-00
 JS-10008
 JS-10083
 JS 

 10118
 JS-10133
 JS-10277
 JS-10389
 JS-552
 JS-555
 JS-68
 JS-91
 JS-94
 22-211.011
 9001KXSDC
 92-458.500
 SAPT654133

 2PA3
 SW53AA2
 302561
 LW2L-A0
 3E-10.4
 3E-12.0
 468-10243-001
 51-030.005
 JM-13
 JS-10120
 JS-138-B