



SCHROFF

Project - 0 item(s)

MY PROJECT LIST

- PRODUCTS
- APPLICATIONS
- INDUSTRIES
- NEW PRODUCTS
- CONFIGURATORS
- Products ▾
- Search

Home > maxpower 100 W, dual

maxpower 100 W, dual

SCHROFF



Catalog Number: 13100-116

[Back To Product](#)

- Wide input voltage range 90 ... 254 VAC and 100 ... 360 VDC with active power-factor correction (PFC)
- High power density
- Efficiency up to 80%
- 2 output voltages

Application:

19" compatible

Specification:

Universal 19"

Output voltages:

2

Note:

Output data at mains voltage > 190 VAC, Ta = 0 ... 50 °C V1 = 15 V / I1 = 3,4A V2 = -15 V / I2 = 3,4A

Type:

Switched-mode PSU


Power type:

AC/DC

Output power:

100 ... 180 W

Other Views



Select product specifications before modifying or adding to project list or requesting a quote.

Current-defining

Voltage-defining

Voltage-one-defining

Voltage-two-defining

[Clear Selection](#)

Quantity

- [Modify Product ▶](#)
- [Add Item to Project List +](#)

Documents

- [Main Catalog - Power supply systems \(ROW\)](#)
- [Declaration of conformity](#)
- [Safety instructions](#)
- [UL](#)
- [Operating instructions](#)
- [CB-test certificate](#)

Links

- [Configurator - Power Supplies Units](#)

Technical Data





Depth mm	171.93	Connector pin-out	Connection
Voltage1 V	15.0	-----	-----
Current1 A	3.4	Pin 4	-
Current2 A	3.4	Pin 6	-
Power W	102.0	Pin 8	-
Voltage2 V	-15.0	Pin 10	-
Description	MAX 215	Pin 12	-
Height U	3	Pin 14	-
Width HP	8	Pin 16	Output + V1
		Pin 18	Output 0 V1
		Pin 20	Output + V2

Pin 22	Output 0 V2
Pin 24	-
Pin 26	-
Pin 28	L
Pin 30	N
Pin 32	PE

Delivery Comprises:

Item	Quantity	Description
1	1	19"-compatible power-supply unit, height: 3 U, width A: 8 HP, depth 171.93 mm (160 mm board depth), connector H 15 M, coding strip (fitted)

Accessories

	Stainless steel EMC gasket, 3 U, 97 mm, stainless steel, two pieces necessary per front panel, PU 10 pcs	21101-705	Add Item to Project List +
	Front panel, 8 HP, Al, front anodised, rear iridescent green chromated, with vertical grooves for EMC gaskets, incl. assembly kit, 1 piece	21006-945	Add Item to Project List +
	Coding, PU (1 keying/coding strip, 2 pieces keying/coding pins)	60800-123	Add Item to Project List +
	Connector H 15 F, FASTON connection, 1 piece	69001-733	Add Item to Project List +

EXPLORE	CONTACT	DOWNLOAD
<ul style="list-style-type: none"> About Us Services & Capabilities News & Events Newsletter Subscriptions Strategic Partnerships Investor Relations 	<ul style="list-style-type: none"> Customer Service Find a Sales Office or Distributor Global Locations Product Compliance & Certifications Partner Login 	<ul style="list-style-type: none"> Download Center Reference Projects Videos Product Configurators Warranties and Terms of Sale & Procurement

Connect With Us



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Switching Power Supplies](#) category:

Click to view products by [Schroff](#) manufacturer:

Other Similar products are found below :

[70841011](#) [73-551-0005](#) [AAD600S-4-OP](#) [R22095](#) [HWS50A-5/RA](#) [KD0204](#) [9021](#) [S-15F-12](#) [LDIN100150](#) [LPM000-BBAR-01](#) [LPX17S-C](#)
[EVS57-10R6/R](#) [FDC40-24S12](#) [FRV7000G](#) [22929](#) [CQM1IA121](#) [40370121900](#) [VI-PU22-EXX](#) [40370121910](#) [LDIN5075](#) [432703037161](#)
[WRB01X-U](#) [LPX140-C](#) [08-30466-1040G](#) [09-160CFG](#) [70841004](#) [70841025](#) [VPX3000-CBL-DC](#) [LPM000-BBAR-05](#) [LPM000-BBAR-08](#)
[LPM124-OUTA1-48](#) [LPM000-BBAR-07](#) [LPM109-OUTA1-10](#) [LPM616-CHAS](#) [08-30466-1055G](#) [08-30466-2175G](#) [DMB-EWG](#) [TVQF-](#)
[1219-18S](#) [6504-226-2101](#) [CQM1IPS01](#) [XPFM201A+](#) [MAP80-4000G](#) [LFP300F-24-TY](#) [SMP21-L20-DC24V-5A](#) [VI-MUL-ES](#) [08-30466-](#)
[0065G](#) [CME240P-24](#) [VI-RU031-EWWX](#) [08-30466-0028G](#) [S82Y-TS01](#)