AC Filter Cost Optimized





- Line filter in standard and medical version

See below: **Approvals and Compliances**

Characteristics

- Designed for universal industrial applications
- High attenuation at maximum resp. asymmetric load independent from the line impedance
- Protection against interference voltage from the mains Possible interferences generated in the equipment are strongly attenuated
- Especially designed for industrial applications such as: Frequency Converters, Stepper Motor Drives, UPS-Systems, Inverters
- Suitable for use in equipment according to IEC/UL 60950 Suitable for use in medical equipment according to IEC/UL 60601-1
- Other versions on request

· Version with wire connection

References

Alternative: Standard version

Weblinks

pdf data sheet, html data sheet, General Product Information, Distributor-Stock-Check, Detailed request for product, Microsite

Technical Data

Description

- standard attenuation

- 1-stage

| Ratings IEC | 6 - 20 A @ Ta 40 °C / 250 VAC; 50 Hz | Line Filter | Standard and Medical Version, IE |
|----------------------------|---|-------------|----------------------------------|
| Ratings UL/CSA | 6 - 20 A @ Ta 40 °C / 125 VAC; 60 Hz | | 60939, UL 1283, CSA C22.2 no. |
| Leakage Current | standard < 0.35 mA (250 V / 60 Hz) | | Technical Details |
| Dielectric Strength | 1.7 kVDC between L-N | MTBF | > 200'000h acc. to MIL-HB-217 |
| - | 2.7 kVDC between L/N-PE | | |
| | Test voltage (2 sec) | | |
| Allowable Operation Tempe- | -25 °C to 100 °C | | |
| rature | | | |
| Climatic Category | 25/100/21 acc. to IEC 60068-1 | | |
| Protection Class | Suitable for appliances with protection | | |
| | class I acc. to IEC 61140 | | |
| Terminal | Quick connect terminals 6.3 x 0.8 mm | | |
| Material: Housing | Aluminum | | |

Approvals and Compliances

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in Details about Approvals

SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

FMLB-51

Approvals

The approval mark is used by the testing authorities to certify compliance with the safety requirements placed on electronic products. Approval Reference Type: FMLB

| Approval Logo | Certificates | Certification Body | Description |
|----------------|---------------|--------------------|------------------------------|
| 10 | VDE Approvals | VDE | Certificate Number: 40004673 |
| c FL us | UL Approvals | UL | UL File Number: E72928 |

Product standards

Product standards that are referenced

| Organization | Design | Standard | Description | | | | | |
|--------------|-----------------------|------------------|---|--|--|--|--|--|
| IEC | Designed according to | IEC 60320-1 | Appliance couplers for household and similar general purposes | | | | | |
| IEC | Designed according to | IEC 60939 | Passive filters for suppressing electromagnetic interference | | | | | |
| (H) | Designed according to | UL 498 | Standard for Attachment Plugs and Receptacles | | | | | |
| (h) | Designed according to | UL 1283 | Electromagnetic interference filters | | | | | |
| CSA Group | Designed according to | CSA C22.2 no. 42 | General Use Receptacles, Attachment Plugs, and Similar Wiring Devices | | | | | |
| CSA Group | Designed according to | CSA C22.2 no. 8 | Electromagnetic interference (EMI) filters | | | | | |
| | | | | | | | | |

Application standards

Application standards where the product can be used

| Organization | Design | Standard | Description |
|--------------|--------------------------------|--------------|---|
| IEC. | Designed for applications acc. | IEC/UL 60950 | IEC 60950-1 includes the basic requirements for the safety of information technology equipment. |
| IEC. | Designed for applications acc. | IEC 60601-1 | Medical electrical equipment - Part 1: General requirements for basic safety and essential performance |


Compliances

The product complies with following Guide Lines

| The product complice with the wing clared | | | | | | | | |
|---|------------------------------|-------------|---|--|--|--|--|--|
| Identification | Details | Initiator | Description | | | | | |
| CE | CE declaration of conformity | SCHURTER AG | The CE marking declares that the product complies with the applicable requirements laid down in the harmonisation of Community legislation on its affixing in accordance with EU Regulation 765/2008. | | | | | |
| RoHS | RoHS | SCHURTER AG | EU Directive RoHS 2011/65/EU | | | | | |
| © | China RoHS | SCHURTER AG | The law SJ / T 11363-2006 (China RoHS) has been in force since 1 March 2007. It is similar to the EU directive RoHS. | | | | | |
| REACH | REACH | SCHURTER AG | On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force. | | | | | |
| Ť | Medical Equipment | SCHURTER AG | Suitable for use in medical equipment according to IEC/UL 60601-1 | | | | | |

Dimension [mm]


Case 49




1) Line 2) Load

Diagrams

Standard version




Medical version (M5)




E 1) Line 2) Load (Ē

Medical version (M80)




Attenuation Loss

- - - - 50 Ω differential mode _____ 50 Ω common mode



FMLB-51



All Variants

| Rated Current [A] | Filter-Type | L [mH] | Cx (X2) [µF] | Cy (Y2) [nF] | Weight [g] | Housings | Order Number | _ |
|----------------------|-----------------------|---------|--------------|--------------|---------------|----------|--------------|---|
| 6 | Standard Version | 2 x 14 | 0.1 | 3.3 | 212 g | 49 | 5500.2035 | |
| 10 | Standard Version | 2 x 5 | 0.1 | 3.3 | 212 g | 49 | 5500.2036 | |
| 16 | Standard Version | 2 x 2 | 0.1 | 3.3 | 208 g | 49 | 5500.2037 | |
| 20 | Standard Version | 2 x 1.5 | 0.1 | 3.3 | 218 g | 49 | 5500.2038 | |
| 6 | Medical Version (M5) | 2 x 14 | 0.1 | - | 212 g | 49 | 5500.2082 | |
| 10 | Medical Version (M5) | 2 x 5 | 0.1 | - | 212 g | 49 | 5500.2083 | |
| 16 | Medical Version (M5) | 2 x 2 | 0.1 | - | 208 g | 49 | 5500.2084 | |
| 20 | Medical Version (M5) | 2 x 1.5 | 0.1 | - | 218 g | 49 | 5500.2085 | |
| 6 | Medical Version (M80) | 2 x 14 | 0.1 | 0.47 | 212 g | 49 | 5500.2094 | |
| 10 | Medical Version (M80) | 2 x 5 | 0.1 | 0.47 | 212 g | 49 | 5500.2095 | |
| 16 | Medical Version (M80) | 2 x 2 | 0.1 | 0.47 | 208 g | 49 | 5500.2096 | |
| 20 | Medical Version (M80) | 2 x 1.5 | 0.1 | 0.47 | 218 g | 49 | 5500.2097 | |

Most Popular.

Availability for all products can be searched real-time:https://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER

Packaging unit

10 Pcs

The specifications, descriptions and illustrations indicated in this document are based on current information. All content is subject to modifications and amendments. Information furnished is believed to be accurate and reliable. However, users should independently evaluate the suitability and test each product selected for their own applications.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Power Line Filters category:

Click to view products by Schurter manufacturer:

Other Similar products are found below :

6609019-3 6609026-5 6609030-6 6609973-2 D30A 7-1609090-5 F2810 F4456A F7382Z F7863Z FAHAV3100ZC000 806276 FN2020B-1-06 FN2080B-10-06 FN2410H-32-33 FP144 FS4153-20-06 FS4353-500-99 12-MMB-030-11-D DB4-393 15811T200 20B1 LC630 2B1 1609080-2 1609993-8 1-6609070-1 F1100AA02 F1150CC10 F1500CA10 F1500CA15 F4041Z F7585E 1B1 FN2070A-16-06 FN2090A-20-06 FN2090B-12-06 FN2090Z-1-06 FN2410H-25-33 FN2410H-60-34 FN2410H-8-44 FN2412H-8-44 FN323B-6-01 FN3258H-130-35 FN610R-3-06 20EHQ7 20EHZ7 20K1 30B6 3K1