

## 5 Inch HDMI Display with USB TouchScreen

SKU 104990243



- Pre-existing Linux/Windows/Mac drivers
- 800 x 480 touchscreen
- Supports Windows XP SP3, Windows 7, Windows 8, Windows 8.1, Windows 10, Android 4.2, Windows CE7, Ubuntu and Debian

### Description

Utilizing pre-existing Linux/Windows/Mac drivers, this 800 x 480 touchscreen will help you hit the ground running. Resistive touch function give the user full control over any device. Supports Windows XP SP3, Windows 7, Windows 8, Windows 8.1, Windows 10, Android 4.2, Windows CE7, Ubuntu and Debian. Built-in EDID device information very easy to let the equipment correctly identified, USB touch can support functions of the right mouse button and drag and drop.

### FEATURES

- Resolution up to 800 x 480
- USB resistive touch control
- Free-driver, Plug and Play
- Supports Raspbian, Ubuntu Mate, NOOBS with Raspberry Pi
- Supports Debian, Angstrom with BeagleBone
- Supports Windows/Ubuntu/Mac with PC
- Supports Intel-Processor Base MiniPC.
- ULP(Ultra Low Power) consumption backlight

### SPECIFICATION

- Power: 5V Power via USB Micro
- Display Type: 5" TFT LCD
- Resolution: 800x480
- Touchscreen: USB
- Interface: HDMI & USB 2.0 Full Speed

## **PART LIST**

- 1 x 5 Inch 800 X 480 HDMI Display w ith USB Touchscreen
- 1 x Stylus

## **DOCUMENT**

- [User Manual](#)

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Display Development Tools](#) category:*

*Click to view products by [Seeed Studio](#) manufacturer:*

Other Similar products are found below :

[KIT 60121-3](#) [S5U13L02P00C100](#) [S5U13U11P00C100](#) [4172800XX-3](#) [TW8823-LC2-EVAL](#)

[KIT 67134-3](#) [LCD8000-43T](#) [CC-ACC-LCDW-70](#) [TW8836-L-EVAL](#) [TW8819-NA2-CR-](#)

[EVAL](#) [121CBL02-RPK](#) [KIT 60145-3](#) [S5U13748P00C100](#) [DFR0413](#) [ADM00931](#) [3248](#)

[MIKROE-3158](#) [MIKROE-3159](#) [SK-pixxiLCD-20P2](#) [NHD-1.69-BREAKOUT](#) [NHD-0.6-](#)

[BREAKOUT](#) [B3000MS035](#) [4702](#) [SK-pixxiLCD-39P4](#) [SK-pixxiLCD-13P2](#)