

Grove - I2C Mini Motor Driver

SKU 105020010

The Grove - Mini I2C motor driver is a very tiny motor driver with I2C interface, and it includes two motor driver chips - DRV8830, which helps you control two DC motors or winding of stepper motors on a small board simultaneously.

With four solderable pads back of the board, you can change the I2C address of each motor driver easily. Especially, with the onboard protection circuit, the max limitation current of each channel can be adjusted from 0.2A to 1A, you can set a proper limitation current according to the load.

It can be used for battery-powered toys, printers, and other low-voltage or battery-powered motion control applications due to the features.

Also, Grove - Mini I2C motor driver is belong to Grove System, you can plug it onto the Base shield and work with Arduino directly without any jumper wires.

Features:



- Tiny driver board
- Two motor driver channels
- Working Voltage : 2.75v – 6.8v
- Changeable max limitation current
- Grove compatible
- I2C interface
- Easy to use

Technical Details

Dimensions	130mm x 90mm x 10.5mm
Weight	G.W 9g
Battery	Exclude
Board Dimension	40mm X 20mm X 9mm

Part List

Grove - Mini I2C Motor Driver v1.0	1
------------------------------------	---



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power Management IC Development Tools](#) category:

Click to view products by [Seeed Studio](#) manufacturer:

Other Similar products are found below :

[EVAL6482H-DISC](#) [EVAL-ADM1060EBZ](#) [EVAL-ADM1073MEBZ](#) [EVAL-ADM1166TQEBZ](#) [EVAL-ADM1168LQEBZ](#) [EVAL-ADM1171EBZ](#) [EVAL-ADM1276EBZ](#) [EVB-EN5319QI](#) [EVB-EN5365QI](#) [EVB-EN6347QI](#) [EVB-EP5348UI](#) [MIC23158YML](#) [EV](#) [MIC23451-AAAYFL](#) [EV](#) [MIC5281YMME](#) [EV](#) [ADM00513](#) [ADM8611-EVALZ](#) [ADM8612-EVALZ](#) [ADM8613-EVALZ](#) [ADM8615-EVALZ](#) [ADP1046ADC1-EVALZ](#) [ADP1055-EVALZ](#) [ADP122-3.3-EVALZ](#) [ADP130-0.8-EVALZ](#) [ADP130-1.2-EVALZ](#) [ADP130-1.5-EVALZ](#)