



Energy Shield

SKU 106030000

Energy Shield is a LiPo battery based power shield that keeps your project alive. It keeps its battery charged whenever an available power source exists. It accepts a wide range of power sources, from common solar cells via JST connector and USB via USB port on microcontroller, to 9V and 12V DC adapters via DC Jack on your Arduino. Meanwhile it can not only provide power for your Arduino project, with a standard USB port populated on the shield, it's also capable of rescuing your mobile electric devices from dying batteries, such as mobile phone, mp3 and tablet.

Features

- Accept wide range of power inputs
- Overvoltage protection
- 85%+ high power conversion efficiency
- Comprehensive LEDs indicators for charging and working status

Technical details

Dimensions	95mm x65mm x25mm
Weight	G.W 40.5g
Battery	Exclude

Part List

Energy Shield	1
---------------	---

ECCN/HTS

ECCN	EAR99
HSCODE	8504909090
USHSCODE	8517700000
UPC	841454109693

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Power Management IC Development Tools category:

Click to view products by Seeed Studio manufacturer:

Other Similar products are found below:

EVAL6482H-DISC EVAL-ADM1060EBZ EVAL-ADM1073MEBZ EVAL-ADM1166TQEBZ EVAL-ADM1168LQEBZ EVAL-ADM1171EBZ EVAL-ADM1276EBZ EVB-EN5319QI EVB-EN5365QI EVB-EN6347QI EVB-EP5348UI MIC23158YML EV MIC23451-AAAYFL EV MIC5281YMME EV ADM00513 ADM8611-EVALZ ADM8612-EVALZ ADM8613-EVALZ ADM8615-EVALZ ADP1046ADC1-EVALZ ADP1055-EVALZ ADP122-3.3-EVALZ ADP130-0.8-EVALZ ADP130-1.2-EVALZ ADP130-1.5-EVALZ