

FV1043PF


Tuner AFC diode

The FV1043PF is a variable capacitor diode intended for AFC applications, VHF TV applications, FM Receivers. Air craft communications gear, and other receivers in the 1 MHz to 500 MHz.


Standard package is DO-35 case, DO-34 case is available upon request.

Features

- Lead Free



Glass Case DO-35
Dimensions in mm



Glass Case DO-34
Dimensions in mm

Absolute Maximum Ratings ($T_a = 25\text{ }^\circ\text{C}$)


Parameter	Symbol	Value	Unit
Breakdown Voltage	V_{BR}	5	V
Average Forward Current	$I_{F(AV)}$	250	mA
Power Dissipation	P_{tot}	350	mW
Operating Temperature Range	T_{opr}	- 65 to + 175	$^\circ\text{C}$
Storage Temperature Range	T_{stg}	- 65 to + 200	$^\circ\text{C}$

Thermal Characteristics

Parameter	Symbol	Max.	Unit
Thermal Resistance from Junction to Ambient	$R_{\theta JA}$	429	$^\circ\text{C/W}$

Characteristics at $T_a = 25\text{ }^\circ\text{C}$ unless otherwise noted

Parameter	Symbol	Min.	Typ.	Max.	Unit
Breakdown Voltage at $I_R = 1\text{ }\mu\text{A}$	V_{BR}	5	-	-	V
Nominal Capacitance at $V_R = 4\text{ V}$, $f = 1\text{ MHz}$	C	5	-	20	pF
Capacitance Ratio at $V_R = 0.1\text{ V}$, $f = 1\text{ MHz}$ (C0.1) at $V_R = 4\text{ V}$, $f = 1\text{ MHz}$ (C4)	$\frac{C0.1}{C4}$	-	1.8	-	-
Figure Of Merit at $f = 100\text{ MHz}$	Q	100	-	-	-



FV1043PF

Electrical Characteristics Curves

FIGURE OF MERIT VERSUS FREQUENCY







FIGURE OF MERIT VERSUS REVERSE VOLTAGE



CAPACITANCE VERSUS REVERSE VOLTAGE



Disclaimer: Our company reserve the right to make modifications, enhancements, improvements, corrections or other changes to improve product design, functions and reliability, anytime without notice. Semtech Electronics Limited makes no warranties, representations or warranties regarding the suitability of its products for any particular purpose, and does not accept any liability arising from the application or use of any product or circuit such as: Apply to medical, military, aircraft, space or life support equipment and expressly waive any and all liability, including but not limited to special, consequential or collateral damage.



X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Varactor Diodes](#) category:

Click to view products by [Semtech](#) manufacturer:

Other Similar products are found below :

[MA46H201-1056](#) [MAVR-001330-12790T](#) [MVAM108](#) [SVC704-TL-E](#) [SVC710-TL-E](#) [MAVR-000083-0287AT](#) [MAVR-044769-12790T](#)
[MA46H204-1056](#) [MA46H202-1088](#) [MA46H202-1056](#) [MA46H203-1088](#) [MA46H203-1056](#) [GC2510-17](#) [MAVR-044769-02870T](#) [MAVR-001350-12790T](#) [SMVA1248-079LF](#) [MAVR-000120-14110P](#) [MAVR-000409-0287FT](#) [GC15006-152](#) [MA46603-276](#) [SMVA1253-079LF](#)
[MSV34-075-C11](#) [MAVR-000120-12030P](#) [MAVR-000404-0287FT](#) [BB669E7904](#) [BB555H7912](#) [BB659CH7912](#) [BB804SF2E6327](#)
[1SV285TPH3F](#) [BB172X](#) [BB535E7904HTSA1](#) [BBY5303WE6327HTSA1](#) [BBY5802VH6327XTSA1](#) [BBY6602VH6327XTSA1](#)
[1SV270\(TPH3,F\)](#) [1SV305,L3F](#) [1SV279\(TPH3,F\)](#) [1SV270TPH3F](#) [1SV239TPH3F](#) [1SV281\(TPH3,F\)](#) [BB814E6327GR1HTSA1](#)
[BBY5302VH6327XTSA1](#) [BBY5502VH6327XTSA1](#) [BB535E7904XT](#) [BB639E7904HTSA1](#) [BB640E6327HTSA1](#) [BB837E6327HTSA1](#)
[BBY40.215](#) [1SV280\(TPH3,F\)](#) [1SV285\(TPH3,F\)](#)