
### ST60PPF, ST60SPF

#### Silicon Schottky Barrier Diode


Characteristics equivalent to 1N60P and 1N60S

Features

Lead Free



Glass case DO-35-1 Dimensions in mm



Glass Case DO-35 Dimensions in mm


## Absolute Maximum Ratings (T<sub>a</sub> = 25°C)

Parameter	Symbol	Value	Unit
Peak Reverse Voltage	V <sub>RM</sub>	45	V
Reverse Voltage	V <sub>R</sub>	20	V
Average Rectified Output Current	Ι <sub>ο</sub>	50	mA
Peak Forward Current	I <sub>FM</sub>	150	mA
Surge Forward Current	I <sub>surge</sub>	500	mA
Junction Temperature	Tj	175	°C
Storage Temperature Range	T <sub>Stg</sub>	- 55 to + 175	°C



#### Characteristics at T<sub>a</sub> = 25℃

Parameter		Symbol	Min.	Max.	Unit
Forward Current at V <sub>F</sub> = 1 V		I <sub>F</sub>	4	-	mA
Forward Voltage at I <sub>F</sub> = 1 mA at I <sub>F</sub> = 5 mA		V <sub>F</sub>	-	0.5 0.7	V
Reverse Current at V <sub>R</sub> = 10 V	ST60PPF ST60SPF	I <sub>R</sub>	-	50 100	μA
Rectification Efficiency at V <sub>i</sub> = 2 Vrms, R = 5 K $\Omega$ , C = 20 pF, f = 40 MHz		η	55	-	%



Input 2Vrms Rectification Efficiency Measurement Circuit

Disclaimer: Our company reserve the right to make modifications, enhancements, improvements, corrections or other changes to improve product design, functions and reliability, anytime without notice. Semtech Electronics Limited makes no warranties, representations or warranties regarding the suitability of its products for any particular purpose, and does not accept any liability arising from the application or use of any product or circuit such as: Apply to medical, military, aircraft, space or life support equipment and expressly waive any and all liability, including but not limited to special, consequential or collateral damage.



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Schottky Diodes & Rectifiers category:

Click to view products by Semtech manufacturer:

Other Similar products are found below :

MA4E2039 MA4E2508M-1112 MBR1545CT MMBD301M3T5G RB160M-50TR D83C BAS16E6433HTMA1 BAT 54-02LRH E6327 NRVBAF360T3G NSR05F40QNXT5G NTE555 JANS1N6640 SK310-T SS3003CH-TL-E GA01SHT18 CRS10I30A(TE85L,QM MA4E2501L-1290 MBRA140TRPBF MBRB30H30CT-1G BAT 15-04R E6152 JANTX1N5712-1 DMJ3940-000 SB007-03C-TB-E SK33B-TP NRVBB20100CTT4G NRVBM120LT1G NTSB30U100CT-1G VS-6CWQ10FNHM3 CRG04(T5L,TEMQ) ACDBA1100LR-HF ACDBA1200-HF ACDBA240-HF ACDBA3100-HF CDBQC0530L-HF CDBQC0240LR-HF ACDBA260LR-HF ACDBA1100-HF MA4E2502L-1246 10BQ015-M3/5BT NRVBM120ET1G CRS08TE85LQM PMAD1108-LF B120Q-13-F 1N5819T-G B0530WSQ-7-F PDS1040Q-13 B160BQ-13-F SDM05U20CSP-7 B140S1F-7 HSM560Je3/TR13