

## CWM

## COUNTERWEIGHT FOR USE ON CABLE SUSPENDED FLOAT SWITCHES



This counterweight is used to set or adjust the pivot point for a cable suspended float switch. The position on the cable relative to the switch can be used to adjust the liquid level differential between open and closed switch output.

Most of the cable suspended float switches are supplied with these counterweights but the LITTLE-EX series of ATEX approved switches are not

NOTE: The CWM must not be used in ATEX applications.

#### **Features**

- Adjustable cable pivot point
- Cable lock feature



## **INSTALLATION OF COUNTERWEIGHT ON CABLE**

Feed the cable through the counter weight body.

Once in position, fully tighten top and bottom gland nut to secure counterweight to cable.

Caution: Do not over tighten.

Page 1

Sensata Technologies, Inc. ("Sensata") data sheets are solely intended to assist designers ("Buyers") who are developing systems that incorporate Sensata products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, evaluation and judgment in designing Buyer's systems and products. Sensata data sheets have been created using standard laboratory conditions and engineering practices. Sensata has not conducted any testing other than that specifically described in the published documentation for a particular data sheet. Sensata may make corrections, enhancements, improvements and other changes to its data sheets or components without notice.

Buyers are authorized to use Sensata data sheets with the Sensata component(s) identified in each particular data sheet. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER SENSATA INTELLECTUAL PROPERTY RIGHT, AND NO LICENSE TO ANY THIRD PARTY TECHNOLOGY OR INTELLECTUAL PROPERTY RIGHT, IS GRANTED HEREIN. SENSATA DATA SHEETS ARE PROVIDED "AS IS". SENSATA MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE DATA SHEETS OR USE OF THE DATA SHEETS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. SENSATA DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO SENSATA DATA SHEETS OR USE THEREOF.

All products are sold subject to Sensata's terms and conditions of sale supplied at <a href="https://www.sensata.com">www.sensata.com</a> SENSATA ASSUMES NO LIABILITY FOR APPLICATIONS ASSISTANCE OR THE DESIGN OF BUYERS' PRODUCTS. BUYER ACKNOWLEDGES AND AGREES THAT IT IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL LEGAL, REGULATORY AND SAFETY-RELATED REQUIREMENTS CONCERNING ITS PRODUCTS, AND ANY USE OF SENSATA COMPONENTS IN ITS APPLICATIONS, NOTWITHSTANDING ANY APPLICATIONS-RELATED INFORMATION OR SUPPORT THAT MAY BE PROVIDED BY SENSATA.

Mailing Address: Sensata Technologies, Inc., 529 Pleasant Street, Attleboro, MA 02703, USA.

#### CONTACT US

Cynergy3 Components Ltd. 7 Cobham Road, Ferndown Industrial Estate, Wimborne, Dorset, BH21 7PE, United Kingdom



# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Sensor Fixings & Accessories category:

Click to view products by Sensata manufacturer:

Other Similar products are found below:

8000-5130 R4 PBT420-100R SS-12143 STA12 AP4-T R6 D01051301 43912557-020 D01070602 606072 606075 28810-2 ZX-SW11E

V3 T63353 32043-625 SS-12225 PH-2-60M ZS-SW11V3E STE-1042609RFRC STE-1186763RFM4 76002066 C115 E02 041 G1 C115

E05 041 G1 SA9Z-S07PN02 ECT18-WELL 79450811 P2435.3 AS7030B\_WRISTBAND AS7038GB\_WRISTBAND 51001R 11027667-00

XUZD15 ROTATEKNOB3D2GOKITTOBO1 XUVF60M8 1410RFT 6-12V AC/DC 1411RFT-24V DC 1420RFW 12-24V AC/DC

1420RFW 6-12V AC/DC 1428 24-48V AC/DC 1428RF 12-24V AC/DC 1428RF 24-48V AC/DC 1448RF 12-24V AC/DC 1448RF 24-48V

AC/DC 1448RFT 12-24V AC/DC 1510 12-24V AC/DC 1743 6-12V AC/DC 1743BB 12-24V DC 1748 12-24V AC/DC 1748 24-48V

AC/DC