

## NPN SILICON EPITAXIAL TRANSISTOR



### Description

The BCP56 is designed for use in audio amplifiers and medium power amplifications.

### Features

- Collector-Emitter Voltage:  $V_{CE0}=80V$
- Complementary to BCP53

### Package Dimensions



REF.	Millimeter		REF.	Millimeter	
	Min.	Max.		Min.	Max.
A	6.70	7.30	B	13°TYP.	
C	2.90	3.10	J	2.30 REF.	
D	0.02	0.10	1	6.30	6.70
E	0°	10°	2	6.30	6.70
I	0.60	0.80	3	3.30	3.70
H	0.25	0.35	4	3.30	3.70
			5	1.40	1.80

### Absolute Maximum Ratings at $T_a = 25^\circ C$

Parameter	Symbol	Ratings	Unit
Junction Temperature	$T_j$	+150	$^\circ C$
Storage Temperature Range	$T_{STG}$	-65 ~ +150	$^\circ C$
Collector to Base Voltage	$V_{CBO}$	100	V
Collector to Emitter Voltage	$V_{CEO}$	80	V
Emitter to Base Voltage	$V_{EBO}$	5	V
Collect Current(DC)	$I_C$	1	A
Total Power Dissipation	$P_D$	1.5	W

### Electrical Characteristics ( $T_a = 25^\circ C$ )

Symbol	Min.	Typ.	Max.	Unit	Test Conditions
$V_{CBO}$	100	-	-	V	$I_C=100\mu A, I_E=0$
$V_{CEO}$	80	-	-	V	$I_C=1mA, I_B=0$
$V_{EBO}$	5	-	-	V	$I_E=10\mu A, I_C=0$
$I_{CBO}$	-	-	100	nA	$V_{CB}=30V, I_E=0$
$I_{EBO}$	-	-	100	nA	$V_{EB}=5V, I_C=0$
* $V_{CE(sat)1}$	-	-	500	mV	$I_C=500mA, I_B=50mA$
* $V_{BE(on)}$	-	-	1000	mV	$I_C=500mA, V_{CE}=2V,$
* $h_{FE1}$	63	-	-		$V_{CE}=2V, I_C=5mA$
* $h_{FE2}$	63	-	250		$V_{CE}=2V, I_C=150mA$
* $h_{FE3}$	40	-	-		$V_{CE}=2V, I_C=500mA$
fT	100	-	-	MHz	$V_{CE}=5V, I_C=10mA$





\* Pulse Test: Pulse Width  $\leq 380\mu s$ , Duty Cycle  $\leq 2\%$

### Classification Of $h_{FE2}$

Rank	10	16
Range	63 - 160	100 - 250



## Characteristics Curve



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Bipolar Transistors - BJT category](#):*

*Click to view products by [Shikues manufacturer](#):*

Other Similar products are found below :

[BC559C](#) [MCH4017-TL-H](#) [MMBT-2369-TR](#) [BC546/116](#) [NJVMJD148T4G](#) [NTE16](#) [NTE195A](#) [IMX9T110](#) [2N4401-A](#) [2N4403](#) [2N6728](#)  
[2SA1419T-TD-H](#) [2SA2126-E](#) [2SB1204S-TL-E](#) [FMC5AT148](#) [2N2369ADCSM](#) [2N2907A](#) [2N3904-NS](#) [2N5769](#) [2SC4618TLN](#) [CPH6501-](#)  
[TL-E](#) [MCH4021-TL-E](#) [Jantx2N5416](#) [US6T6TR](#) [BAX18/A52R](#) [BC556/112](#) [IMZ2AT108](#) [MMST8098T146](#) [UMX21NTR](#) [MCH6102-TL-E](#)  
[TTA1452B,S4X\(S](#) [2N3879](#) [NTE13](#) [NTE282](#) [NTE323](#) [NTE350](#) [NTE81](#) [JANTX2N2920L](#) [JANTX2N3735](#) [JANSR2N2222AUB](#)  
[CMLT3946EG TR](#) [SNSS40600CF8T1G](#) [CMLT3906EG TR](#) [GRP-DATA-JANS2N2907AUB](#) [GRP-DATA-JANS2N2222AUA](#)  
[MMDT3946FL3-7](#) [2N4240](#) [JANS2N3019](#) [MSB30KH-13](#) [2N2221AUB](#)