

アキシャルデバイス 複合

Axial Device Zener Diodes with Fast Recovery Diode

AX10 Package

ST03D-200

200


W

とFRDを複合

D

it

■外觀図 OUTLINE



外形図については新電元Webサイト又は(半導体製品一覧表)をご参照下さい。捺印表示については捺印仕様をご確認下さい。
For details of outline dimensions, refer to our web site or the Semiconductor Short Form Catalog. As for the marking, refer to the specification "Marking, Terminal Connection."




Absolute Maximum Ratings (指定のない場合 T_l=25°C/unless otherwise specified)

記号 Symbol	条件 Conditions	ZD	Di	単位 Unit
T _{stg}		-40~150	-40~150	°C
T _j		150	150	°C
PRSM	10/1000μs 非繰り返し 10/1000μs Non-repetitive	300	-	W
IRSM	10/1000μs 非繰り返し 10/1000μs Non-repetitive	1.0	-	A
VRM		170	600	V

Electrical Characteristics (指定のない場合 T_l=25°C/unless otherwise specified)

V _{BR}	I _R =1mA	MIN. 185 TYP. 200 MAX. 215	-	V
V _{CL}	I _{sp} =1.0A	MAX. 300	-	V
I _R	V _R =170V	MAX. 5	-	μA
	V _R =600V	-	MAX. 5	
t _{rr}	I _F / I _R = 0.1A / 0.3A	-	MAX. 500	ns
θ _{jl}	接合部・リード間 Junction to lead	MAX. 13		°C/W

■特性図 CHARACTERISTIC DIAGRAMS



ご注意

仕様書をご請求の上、ご確認をお願いいたします。
当社製品の品質水準は、一般的な信頼度が要求される標準用途を意図しています。
が直接生命や人体に影響を及ぼすような極めて高い品質、信頼度を要求される特
置にご使用の場合には必ず事前に当社へご連絡の上、確認を得てください。当社の
のように分類しております。

等の事務機器、通信用端末機器、計測器、AV 機器、アミューズメント機器、家電、
ナル機器、産業用機器等

船舶等) 基幹用通信機器、交通信号機器、防災/防犯機器、各種安全機器、医療

テム、航空機器、航空宇宙機器、海底中継機器、生命維持のための装置、システム

向上に絶えず努めていますが、必要に応じ、安全性を考慮した冗長設計、延焼防止
の手段により結果として人身事故、火災事故、社会的な損害等が防止できるようご

内容は、製品改良などのためお断りなしに変更することがありますのでご了承下
ましては事前に当社または特約店へ最新の情報をご確認下さい。

因する損害または特許権その他権利の侵害に関しては、当社は一切その責任を負

または当社の特許権その他権利の実施に対する保証または実施権の許諾を行うもの

製品が、外国為替及び外国貿易管理法に基づき規制されている場合、輸出には同
輸出許可が必要です。

を当社に無断で転載または複製することを強くお断りいたします。

Notes

1. If you wish to use any such product, please be sure to refer to the specifications issued by Shindengen.
2. All products described or contained herein are designed with a quality level intended for use in standard applications requiring an ordinary level of reliability. If these products are to be used in equipment or devices for special or specific applications requiring an extremely high grade of quality or reliability in which failures or malfunctions of products may directly affect human life or health, a local Shindengen office must be contacted in advance to confirm that the intended use of the product is appropriate. Shindengen products are grouped into the following three applications according the quality grade.
 - 【Standard applications】
Computers, office automation and other office equipment, communication terminals, test and measurement equipment, audio/visual equipment, amusement equipment, consumer electronics, machine tools, personal electronic equipment, industrial equipment, etc.
 - 【Special applications】
Transportation equipment (vehicles, ships, etc.), trunk-line communication equipment, traffic signal control systems, anti-disaster/crime systems, safety equipment, medical equipment, etc.
 - 【Specific applications】
Nuclear reactor control systems, aircraft, aerospace equipment, submarine repeaters, life support equipment and systems, etc.
3. Although Shindengen continuously endeavors to enhance the quality and reliability of its products, customers are advised to consider and take safety measures in their design, such as redundancy, fire containment and anti-failure, so that personal injury, fires, or societal damages can be prevented.
4. Please note that all information described or contained herein is subject to change without notice due to product upgrades and other reasons. When buying Shindengen products, please contact the Company's offices or distributors to obtain the latest information.
5. Shindengen shall not bear any responsibility with regards to damages or infringement of any third-party patent rights and other intellectual property rights incurred due to the use of information on this website.
6. The information and materials on this website neither warrant the use of Shindengen's or any third party's patent rights and other intellectual property rights, nor grant license to such rights.
7. In the event that any product described or contained herein falls under the category of strategic products controlled under the Foreign Exchange and Foreign Trade Control Law of Japan, exporting of such products shall require an export license from the Japanese government in accordance with the above law.
8. No reprinting or reproduction of the materials on this website, either in whole or in part, is permitted without proper authorization from Shindengen.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Zener Diodes](#) category:

Click to view products by [Shindengen](#) manufacturer:

Other Similar products are found below :

[RKZ13B2KG#P1](#) [DL5234B](#) [EDZTE6113B](#) [1N4682](#) [1N4691](#) [1N4693](#) [1N4732A](#) [1N4733A-TR](#) [1N4736A](#) [1N4750A](#) [1N4759ARL](#) [1N5241B](#)
[1N5365B](#) [1N5369B](#) [1N747A](#) [1N959B](#) [1N964B](#) [1N966B](#) [1N968B](#) [1N972B](#) [NTE149A](#) [NTE5116A](#) [NTE5121A](#) [NTE5147A](#) [NTE5152A](#)
[NTE5155A](#) [NTE5164A](#) [JANS1N4974US](#) [1N4692](#) [1N4700](#) [1N4702](#) [1N4704](#) [1N4711](#) [1N4714](#) [1N4737A](#) [1N4745ARL](#) [1N4752A](#)
[1N4752ARL](#) [1N4760ARL](#) [1N5221B](#) [1N5236B](#) [1N5241BTR](#) [1N5242BTR](#) [1N5350B](#) [1N5352B](#) [1N961BRR1](#) [1N964BRL](#) [RKZ5.1BKU#P6](#)
[3SMAJ5950B-TP](#) [3SMBJ5925B-TP](#)