













additional load unit, 180-255 V AC, 50/60 Hz, for contactors 3RT2.1 and auxiliary contactors 3RH2

product brand name	SIRIUS				
product designation	plug-in additional load module				
<b>General technical data</b>					
size of contactor	S00				
certificate of suitability	CE / UL / CSA				
Substance Prohibitance (Date)	10/01/2009				
type of voltage of the control supply voltage	AC				
control supply voltage 1 at AC	<ul style="list-style-type: none"> <li>at 50 Hz 180 ... 255 V</li> <li>at 60 Hz 180 ... 255 V</li> </ul>				
control supply voltage frequency	<ul style="list-style-type: none"> <li>1 rated value 50 Hz</li> <li>2 rated value 60 Hz</li> </ul>				
<b>Ambient conditions</b>					
ambient temperature	<ul style="list-style-type: none"> <li>during operation -25 ... +60 °C</li> <li>during storage -40 ... +80 °C</li> </ul>				
<b>Installation/ mounting/ dimensions</b>					
mounting position	any				
fastening method	clip-on				
height	46 mm				
width	28 mm				
depth	9 mm				
<b>Approvals Certificates</b>					
General Product Approval	EMC	Declaration of Conformity			
<a href="#">Confirmation</a>					
<b>Test Certificates</b>					
<a href="#">Special Test Certificate</a>	Marine / Shipping				
					
other	Railway	Environment			

**Further information**

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RT2916-1GA00>

Cax online generator


<http://support.automation.siemens.com/WWW/CAXorder/default.aspx?lang=en&mlfb=3RT2916-1GA00>


Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RT2916-1GA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RT2916-1GA00&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RT2916-1GA00&lang=en)





---

last modified:

4/21/2021 

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Contactor Accessories](#) category:*

*Click to view products by [Siemens](#) manufacturer:*

Other Similar products are found below :

[3RT1945-5AP61](#) [YC9Z-RHU10A16P](#) [YC9Z-RHU5A1P6](#) [YC9Z-CI6](#) [YC9Z-CNA211M](#) [1SAX351001R1101](#) [1SBN050100R1002](#)  
[1SBN050020R1003](#) [022.63](#) [F4-22](#) [EH04-11N](#) [CA4-31E](#) [CAL5X-11](#) [F5-T0](#) [CA5X-22M](#) [YC9Z-LCU38A24](#) [YC9Z-RHU5A2P5](#) [49AB20](#)  
[75D73251A](#) [022.18.1](#) [022.26](#) [11BA167124V203](#) [LADN04](#) [LADN10](#) [1SAX121001R1103](#) [1SBN020010R1003](#) [1SBN050020R1000](#)  
[1SBN050200R1002](#) [1SBN081313R2000](#) [3RA2912-2H](#) [3RA2913-2AA1](#) [3RA2922-2H](#) [3RA2923-2AA1](#) [3RA2923-2BB1](#) [3RF2900-3PA88](#)  
[3RT1916-4KA1](#) [3RT2926-3AB31](#) [CAL5-11](#) [DB42](#) [1SBN020314R1000](#) [1SBN082306T1000](#) [CA5-22M](#) [DB80](#) [EHTK210](#) [LDC4](#) [MS325-](#)  
[SM1](#) [GCA95A48VDC](#) [GUR02](#) [13222574](#) [SW182B-1](#)