



przełącznik 400 V 3-bieg. 40 A

Wersja		
Nazwa markowa produktu	SENTRON	
oznaczenie produktu	Włącznik i wyłącznik	
konstrukcja mechanizmu napędowego	Dźwignia wychylna	
wykonanie mechanizmu napędowego napęd silnikowy	Nie	
Ogólne dane techniczne		
liczba biegunów	3	
sposób zabudowy urządzenia	inne	
Klasa ochrony		
Stopień ochrony IP	IP20	
Obwód główny		
prąd roboczy wartość znamionowa	40 A	
Obwód pomocniczy		
liczba zestyków przełączających dla styków pomocniczych	0	
liczba zestyków rozwiernych dla styków pomocniczych	0	
liczba zestyków zwiernych dla styków pomocniczych	3	
Stosowność		
możliwość zintegrowania rozdzielnic instalacyjnych	Tak	
możliwość zastosowania		
<ul style="list-style-type: none"> • jako łącznik główny • rozłącznik izolacyjny • wyłącznik awaryjny • wyłącznik bezpieczeństwa • wyłącznik konserwacyjny 	<p>Nie</p> <p>Tak</p> <p>Nie</p> <p>Nie</p> <p>Nie</p>	
Szczegóły produktu		
rozszerzenie produktu opcjonalny		
<ul style="list-style-type: none"> • napęd silnikowy • wyzwalacz napięciowy 	<p>Tak</p> <p>Tak</p>	
Połączenia		
wykonanie przyłącza elektrycznego dla głównego obwodu prądowego	Przyłącze śrubowe	
Konstrukcja mechaniczna		
wysokość	90 mm	
głębokość	70 mm	
rodzaj montażu	Szyna montażowa	
General Product Approval	Declaration of Conformity	other



EG-Konf.

Environment

[Environmental Confirmations](#)

Więcej informacji

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE2413-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5TE2413-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE2413-0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

Ostatnia zmiana:

11.07.2022

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Circuit Breakers](#) category:

Click to view products by [Siemens](#) manufacturer:

Other Similar products are found below :

[LUGZX66-1-61-20.0-44](#) [M39019/01-201](#) [M39019/01-221](#) [M39019/04-249S](#) [M39019/04-313S](#) [M55629/1-016](#) [M55629/1-018](#) [M55629/1-021](#)
[M55629/1-033](#) [M55629/1-046](#) [M55629/1-048](#) [M55629/1-058](#) [M55629/1-067](#) [M55629/1-070](#) [M55629/1-079](#) [M55629/1-084](#) [M55629/1-085](#)
[M55629/1-109](#) [M55629/11-102](#) [M55629/12-045](#) [M55629/12-046](#) [M55629/1-330](#) [M55629/1-366](#) [M55629/1-387](#) [M55629/1-401](#) [M55629/2-](#)
[022](#) [M55629/2-030](#) [M55629/2-072](#) [M55629/2-082](#) [M55629/2-099](#) [M55629/2-101](#) [M55629/2-102](#) [M55629/21-BM-BM](#) [M55629/21-HM-HM](#)
[M55629/21-NS-NS](#) [M55629/22-NR-NR-NR](#) [M55629/22-RS-RS-RS](#) [M55629/2-347](#) [M55629/2-401](#) [M55629/2-413](#) [M55629/3-030](#)
[M55629/3-050](#) [M55629/3-102](#) [M55629/3-103](#) [M55629/3-128](#) [M55629/3-130](#) [M55629/3-238](#) [M55629/3-386](#) [M55629/3-LBZB](#) [M55629/4-](#)
[115](#)