



SIMATIC ET 200SP, BaseUnit BU15-P16+A10+2D, BU type A0, Push-in terminals, with 10 AUX terminals, New load group, WxH: 15 mmx141 mm

| General information   |  |
|---|--|
| Product type designation  | BU type A0   |
| HW functional status  | From FS07  |
| Supply voltage  |  |
| Rated value (DC)  | 24 V   |
| external protection for power supply lines  | Yes; 24 V DC/10 A miniature circuit breaker with type B or C tripping characteristic |
| Current carrying capacity   |  |
| For P1 and P2 bus, max.   | 10 A   |
| For AUX bus, max.   | 10 A   |
| For process terminals, max.   | 2 A  |
| Hardware configuration  |  |
| Formation of potential groups   |  |
| <ul style="list-style-type: none"> <li>New potential group</li> </ul>                         | Yes  |
| <ul style="list-style-type: none"> <li>Potential group continued from the left</li> </ul>     | No   |
| Slots   |  |
| <ul style="list-style-type: none"> <li>Number of slots</li> </ul>                             | 1; Type A0   |
| Potential separation  |  |
| between the potential groups  | Yes  |
| Isolation   |  |
| Isolation tested with   | 707 V DC (type test)   |
| Ambient conditions  |  |
| Ambient temperature during operation  |  |
| <ul style="list-style-type: none"> <li>horizontal installation, min.</li> </ul>               | -30 °C   |
| <ul style="list-style-type: none"> <li>horizontal installation, max.</li> </ul>               | 60 °C  |
| <ul style="list-style-type: none"> <li>vertical installation, min.</li> </ul>                 | -30 °C   |
| <ul style="list-style-type: none"> <li>vertical installation, max.</li> </ul>                 | 50 °C  |
| Altitude during operation relating to sea level   |  |
| <ul style="list-style-type: none"> <li>Installation altitude above sea level, max.</li> </ul> | 5 000 m; Restrictions for installation altitudes > 2 000 m, see manual               |
| Accessories   |  |
| Color coding labels   |  |
| <ul style="list-style-type: none"> <li>for process terminals</li> </ul>                       | CC00 to CC09   |
| <ul style="list-style-type: none"> <li>for AUX terminals</li> </ul>                           | CC71 to CC73   |
| <ul style="list-style-type: none"> <li>for add-on terminals</li> </ul>                        | does not exist   |
| connection method   |  |
| Terminals   |  |
| <ul style="list-style-type: none"> <li>Terminal type</li> </ul>                               | Push-in terminal   |
| <ul style="list-style-type: none"> <li>system-integrated shield connection</li> </ul>         | Yes; Optional  |
| <ul style="list-style-type: none"> <li>Conductor cross-section, min.</li> </ul>               | 0.14 mm <sup>2</sup> ; AWG 26  |
| <ul style="list-style-type: none"> <li>Conductor cross-section, max.</li> </ul>               | 2.5 mm <sup>2</sup> ; AWG 14   |

- Number of process terminals to I/O module 16
- Number of terminals to AUX bus 10
- Number of add-on terminals 0
- Number of terminals with connection to P1 and P2 bus 2

#### Dimensions

|        |        |
|--------|--------|
| Width  | 15 mm  |
| Height | 141 mm |
| Depth  | 35 mm  |

#### Weights

|                 |      |
|-----------------|------|
| Weight, approx. | 50 g |
|-----------------|------|

**last modified:** 8/16/2023 

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [PLC Controllers](#) category:*

*Click to view products by [Siemens](#) manufacturer:*

Other Similar products are found below :

[3G2A5PS223E](#) [CJ1M-CPU13](#) [CS1W-CN227](#) [CP1H-Y20DT-D](#) [AFP0RDA4](#) [FC6A-C16R1AE](#) [TM200CE24T](#) [TM200C24R](#) [TMCR2AQ2V](#)  
[TM200C40T](#) [TM200C40R](#) [TM200CE32R](#) [EASY-BOX-E4-AC1](#) [TMCR2AM3](#) [TM200CE24R](#) [TM200C16T](#) [TM200C24T](#) [6GK1901-1BB30-0AA0](#) [6ES7193-6BP00-0DA1](#) [6ES7155-6AR00-0AN0](#) [6ES7193-6BP40-0DA1](#) [6ES7972-0BB12-0XA0](#) [6ES7511-1AK02-0AB0](#) [6ES7193-6BP40-0BA1](#) [6ES7193-6PA00-0AA0](#) [6ES7972-0BB52-0XA0](#) [6ES7135-6GB00-0BA1](#) [6ES7134-6FF00-0AA1](#) [6ES7132-6BD20-0BA0](#) [6ES7131-6BF01-2BA0](#) [6ES7522-1BL10-0AA0](#) [6ES7134-6JF00-0CA1](#) [6ES7193-6BP20-0BF0](#) [6ES7521-1BL10-0AA0](#) [6ES7226-6RA32-0XB0](#) [6ES7132-6HD01-0BB1](#) [6ES7193-6BP20-0BB1](#) [6ES7590-1AE80-0AA0](#) [6ES7226-6DA32-0XB0](#) [6ES7392-1AJ00-0AA0](#) [6ES7972-0BA12-0XA0](#) [6ES7522-1BL01-0AB0](#) [6ES7226-6BA32-0XB0](#) [6ES7137-6AA01-0BA0](#) [6ES7392-1AM00-0AA0](#) [6ES7972-0BB42-0XA0](#) [6ES7193-6BP20-0BA0](#) [6ES7131-6BF01-0BA0](#) [6ES7392-1BM01-0AA0](#) [6ES7193-6BP20-0DA0](#)