


Overview

Sierra Monitor’s BACnet Explorer Next Generation (NG) offers all you would expect from a high-end Explorer product and more. Not only will the BACnet Explorer NG automatically discover BACnet/IP and BACnet MS/TP networks but with new Monitor View and Historian features, device data points can be precisely tracked and logged for analysis.

Additionally, the Explorer acts as a Wi-Fi access point for modern configuration and remote access from any mobile device without user restrictions.

The BACnet Explorer NG has a user-friendly configuration page to streamline the setup process. With the push of a button, the user can discover all the BACnet devices connected to the Explorer.

The BACnet Explorer NG also supports BBMD as a standard feature, allowing it to view all configured BBMD networks for testing and debugging.



BACnet Explorer NG Features and Benefits

Multiple Connections

- Ethernet
- Serial
- Wi-Fi
- Cellular

Ease of Use


- Discover BACnet/IP and BACnet MS/TP networks simultaneously
- Explore BACnet MS/TP devices without a dongle requirement
- Write to BACnet objects
- Discover all BBMD BACnet networks when configured
- Explore specific device IDs and networks for additional device properties
- Allows simultaneous multi-user access
- Wi-Fi access point allows for connection from any mobile device
- Configure easily on the web using smartphone or other smart devices without additional software installations
- **Monitor View** and **Historian** features enable continuous network and device monitoring with data trending
- **SMC Cloud** registration connects your devices to the cloud, allowing secure remote access for diagnostics, monitoring, alarming and configuration
- Secure data interface through RESTful API - premium account required
- On-board diagnostics allow easy troubleshooting for both serial and Ethernet communications

Ease of Installation

- Equipped with an MDIX port so any Ethernet cable can be used for commissioning and installation
- Utilizes DHCP to automatically obtain IP settings from the network
- Industrial design: 12 to 24V DC and DIN rail



The BACnet Explorer NG offers access anywhere through its own Wi-Fi access point. Meaning connection to your devices is available directly from the Explorer or through the cloud with SMC Cloud.



Hardware Specifications *

Communication

Serial (Galvanic Isolation): RS-485/RS-232

Baud: 9600, 19200, 34800, 57600, 76800, 115000

Ethernet

10/100BaseT

MDIX

DHCP

Environment

Operating Temperature: -20 to 70°C (-4 to 158°F)

Relative Humidity: 10-95% RH non-condensing

Other

Web Configuration

Toolbox diagnostic utility

Table, Wall mount

DIN rail mount included

Construction

Dimensions (HxWxD)

4 x 1.1 x 2.7 in (10.16 x 2.8 x 6.8cm)

Weight: 0.4 lbs (0.2 Kg)

Power Requirements

12-24V DC

Current draw @ 12V: 240 mA

Approvals

CE and FCC Class B & C Part 15

TUV Approved to UL 60950

IC Canada

RoHS Compliant

PTCRB and CTIA



* Specifications subject to change without notice

Radio Specifications

Wi-Fi 802.11 b/g/n

Frequency: 2.4 GHz

Channels: 1 to 11 (inclusive)

Antenna Type: SMA

Encryption: TKIP, WPA & AES

Cellular

Features: 3G & GPS

Antenna Type: SMA

HSDPA: Up to 21.0 Mbps

HSUPA: Up to 5.76 Mbps

Carriers: AT&T, Kore Telematics & Vodafone

Ordering Information

- FS-BENG-W (Wi-Fi): includes PSU and termination screwdriver
- FS-BENG-C (cellular): includes PSU and termination screwdriver

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Routers](#) category:

Click to view products by [Sierra Monitor](#) manufacturer:

Other Similar products are found below :

[LR54-AA401](#) [WR44-L900-AE1-RF](#) [WR31-U92A-DE1-TB](#) [SR30500020-SWH](#) [SR30510120](#) [SR30508010](#) [SR30500410](#) [UR2B612011](#)
[UR2L610011-SWH](#) [UR2L610710](#) [BB-ERT311](#) [BB-UR2B610011](#) [BB-UR2B610021](#) [SL30200110-XSWH](#) [SL30210110-SWH](#) [SL30210110-](#)
[XSWH](#) [SR30010110-SWH](#) [SR30510420-SWH](#) [SR30518120-SWH](#) [XR2F000711](#) [ASB-631R-DX06-OUS](#) [TX64-A121](#) [X2E-Z1R-E1-W](#)
[X2E-Z1R-W1-W](#) [X2E-Z1R-E1-A](#) [E224HPL2S](#) [1010462](#) [1010463](#) [1010461](#) [1010464](#) [1153078](#) [1153079](#) [2702529](#) [2702532](#) [2702888](#)
[RUT24006E000](#) [RUT950U022C0](#) [RUTX09000000](#) [RUTX11000000](#) [FS-BENG-C](#) [FS-Router-BAC2](#) [IX14-M301](#) [IX14-M401](#) [IX14-M601](#)
[RUT300000000](#) [RUT360000000](#) [RUT950V022C0](#) [RUT950K02400](#) [RUT950J02400](#) [RUT950U025A0](#)