



Image may differ from product. See technical specification for details.

## PER.5203RSS2

**Special double row angular contact ball bearing with round bore, cylindrical outer surface and high contamination resistant seals**

These special double row angular contact ball bearings are designed mainly for agricultural applications, are commonly used in agricultural seeding equipment, such as grain drills or planters. The integral sealing and higher-than-standard grease fill can significantly prolong bearing service life and reduce maintenance efforts.

- Designed mainly for agricultural applications
- Round bore
- Accommodate relatively high radial loads and large axial loads in both directions
- Integral sealing and higher-than-standard grease fill prolongs bearing service life

# Overview

## Dimensions

Bore diameter	16.256 mm
Outside diameter	40 mm
Width	44.12 mm

## Properties

Number of rows	2
Sealing type	Contact
Lubricant	Grease

## Performance

Basic dynamic load rating	14.2 kN
Basic static load rating	8.8 kN

## Logistics

Product net weight	0.217 kg
eClass code	23-05-16-90
UNSPSC code	31171536

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Screws & Fasteners](#) category:*

*Click to view products by [SKF](#) manufacturer:*

Other Similar products are found below :

[5721-1440-1/4-SS](#) [0098.0094](#) [0098.9206](#) [59781-6](#) [0098.9212](#) [6292-1](#) [690432-1](#) [699161-000](#) [700989](#) [7230-3](#) [72609-02](#) [CAPTIVE JACK](#)  
[SCREW](#) [73542-02](#) [CAPTIVE SHORT THUMBSCREW](#) [745564-1](#) [7680](#) [809704-1](#) [8700](#) [8860220](#) [9521](#) [992763-3](#) [1-18024-0](#) [A168P1](#) [1-](#)  
[24921-1](#) [125416-1](#) [1301810313](#) [1-306131-6](#) [1301830042](#) [1458](#) [1-59781-3](#) [18029-4](#) [NBX-10953](#) [NUT-16-3P-HEX-NICKEL](#) [20993.45098](#)  
[21004-1](#) [21009-4](#) [21014-5](#) [21021-2](#) [CA24037A01](#) [22987-4](#) [240632-1](#) [240632-2](#) [89506-9801](#) [2504](#) [9031](#) [9-1393249-2](#) [2.5NZPNBU](#) [26-](#)  
[0048PP](#) [27210-1](#) [27210-8](#) [9318](#) [9520](#)