

Mating receptical to be assembled as a set





Connector A Manfacturer - JST Part #s S2B-PH-K-S Plug entry view



Connector B Manfacturer - JST Part #s PHR-2 Crimp Pin Part # SPH-002T-P0.5S Or equivalent Wire Entry View **Scale 5.00**


Tolerances. Unless noted-0.0 +/-

0.00 +/-0.000 +/-


Connector A Pin	Connector B Pin	Wire Type				
1	1	Braided 24 AWG - Red		JST_3-PIN_WITH_WIREOUTS		
2	2	Braided 24 AWG - Black	IST 3-PIN			
		Sheilding and cable				
		jacket type are not	Units In	Drawn by Spark Fun Electronics		
		of importance.	Utilis iti	Drawn by Spark I dif Electronics		
			20 Apr 10	for Price Quote		
			20 Apr 10 for Price Quote	101 The Quote		
			Toloropoo I/ 0 125	Drofton IIII Cools 1.25		
			Tolerance +/- 0.125	Drafter HH Scale 1.25		

Mating receptical to be assembled as a set





Connector A
Manfacturer - JST
Part #s S3B-PH-K-S... S5B-PH-K-S
Or equivalent
Plug entry view



Connector B
Manfacturer - JST
Part #s PHR-3...PHR-5
Crimp Pin Part # SPH-002T-P0.5S
Or equivalent
Wire Entry View
Scale 5.00

Tolerances, Unless noted-0.0 +/-

0.00 +/-0.000 +/-

Connector A Pin	Connector B Pin	Wire Type		<u>.</u>	
1	1	Braided 24 AWG - Yellow	JST_3-PIN_WITH_WIREOUTS		
2	2	Braided 24 AWG - Black			
3	3	Braided 24 AWG - Red			
4	4	Braided 24 AWG - Blue			
5	5	Braided 24 AWG - Green			
			Units in	Drawn by Spark Fun Electronics	
		Sheilding and cable jacket type are not	20 Apr 10	for Price Quote	
		of importance.	Tolerance +/- 0.125	Drafter HH Scale 1.25	

Set number	Part Numbers (Parts from JST or equivalent)	Notes	Page 3 / 3	
1	1 x S2B-PH-K-S 1 x PHR-2 2 x SPH-002T-P0.5S 2 x Braided 24 AWG	Wire colors and order given on sheet 1		
2	1 x S3B-PH-K-S 1 x PHR-3 3 x SPH-002T-P0.5S 3 x Braided 24 AWG	Wire colors and order given on sheet 2 (use yellow, black, & red wires)		
3	1 x S4B-PH-K-S 1 x PHR-4 4 x SPH-002T-P0.5S 4 x Braided 24 AWG	Wire colors and order given on sheet 2 (use yellow, black, red, and blue wires)		
4	1 x S5B-PH-K-S 1 x PHR-5 5 x SPH-002T-P0.5S 5 x Braided 24 AWG	Wire colors and order given on sheet 2 (use yellow, black, red, blue, and green wires)		
			Tolerances, Unless noted- 0.0 +/- 0.000 +/-	
		JST_3-PIN_WITH_WIREOUTS		
		Drawn by Spark Fun Electronics for		
		Drafter	Scale	

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for SparkFun Accessories category:

Click to view products by SparkFun manufacturer:

Other Similar products are found below:

DEV-17119 SEN-16474 COM-11450 BOB-00495 BOB-00497 PRT-08619 PRT-12702 SEN-13582 TOL-11468 ROB-09065 COM-12999 COM-12986 COM-11120 ROB-11965 COM-11222 PRT-12845 CAB-13685 PRT-10210 PRT-14490 TOL-10603 COM-09278 PRT-08023 COM-08033 DEV-14052 PRT-00111 PRT-08432 TOL-09317 TOL-10997 PRT-00743 PRT-14492 TOL-14228 COM-13247 PRT-11026 CAB-10646 TOL-08964 PRT-00116 PRT-08506 CAB-09741 COM-10800 SEN-14282 DEV-14012 CAB-14043 COM-14452 TOL-14508 DEV-13814 GPS-00574 PRT-14417 PRT-08231 COM-09939 PRT-13839