

Sealing plugs

## VST M25



### VST M25

#### Sealing plugs

Productnumber: 23142501

Dimensions: 29,5 x 29,5 x 14,1 mm

Sealing plugs, IP54, with closed sealing membrane, thermoplastic elastomer (TPE), grey, for wall thickness 1.5 - 4.0 mm, for sealing of metric housing apertures that are not required

**Sealing area 9 - 16 mm**

IP54

---

## Technical Data

### electrical characteristics

---

Type of protection:	IP54
---------------------	------

---

### Colours

---

Accessory colour:	light grey
-------------------	------------

---

### Dimensions

---

Width:	29.5 mm
--------	---------

---

Length:	29.5 mm
---------	---------

---

Height:	14.1 mm
---------	---------

---

### Material characteristics

---

Industry quality:	no
-------------------	----

---

### mechanical properties

---

for sealing range max:	16 mm
------------------------	-------

---

for sealing range min:	9 mm
------------------------	------

---

### Ambient conditions

---

Installation location:	Indoors
------------------------	---------

---

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Enclosures, Boxes & Cases](#) category:*

*Click to view products by [Spelsberg](#) manufacturer:*

Other Similar products are found below :

[60221-01](#) [M17-L-PLN](#) [M-21-PLATED](#) [63310-01-000](#) [74257-510-000](#) [CNL-0004](#) [MDC-13104-PTD](#) [MDC-973-PLAIN-ALUM](#)  
[77153-01-028](#) [FLX6030](#) [90026-501-000](#) [PS36-200](#) [120-407](#) [1301170079](#) [138-PLAIN](#) [1434-1210](#) [144011](#) [EAS-500 \(BLACK ANO\)](#)  
[KAB3421](#) [2697466](#) [S52213](#) [A0645271](#) [A20P20](#) [2106-IR](#) [G505025B](#) [2792057](#) [2890386](#) [2906241](#) [2906254](#) [2907981](#) [H5031](#) [RC-7762](#) [CU-](#)  
[284](#) [404-BLACK](#) [MDC-532-PLAIN-ALUM](#) [MDC-642-PLAIN-ALUM](#) [B137](#) [5400TN](#) [UM-BEFE 35-1 BK](#) [UNC 1 3/4-5-5 PLAIN](#) [UNC 2-](#)  
[4-6 PLAIN](#) [459-0070](#) [043853](#) [103031](#) [11416P](#) [WM012RI,BK](#) [UPS 350-17-9 PLAIN](#) [UNC 5-6-6 PLAIN](#) [UNC 3-10-10 PLAIN](#) [KR8-315](#)  
[030808060](#) [UM-SE-A73-R BK](#)