


## INSULATED TUNING TOOLS


### HARDENED AND PLATED STEEL TIPS

### TOUGH MOLDED PLASTIC BODIES


**MODELS GTT-5, GTT-5G, (Nylon Bodies)**  
**MODELS GTT-6, GTT-6G, (Antistatic Bodies)**




**MODEL GTT-5X (All Nylon)**  
**MODEL GTT-6X (All Antistatic)**





**MODEL GTT-5XL (All Nylon, Long Shaft)**  
**MODEL GTT-6XL (All Antistatic, Long Shaft)**



**MODEL GTT-7 (Nylon Body)**  
**MODEL GTT-8 (Antistatic Body)**




**MODEL GTT-9, GTT-11 (Nylon Body)**  
**MODEL GTT-10, GTT-12 (Antistatic Body)**




**MODEL JFD-5284**

Supplied with pocket clip.



**MODEL JFD-5284Z**

Supplied with pocket clip.




All dimensions are in / mm.


**JFD-7104 SERIES**




**MODEL JFD-7104-1**




**MODEL JFD-7104-5**




**MODEL JFD-7104-8**



**MODEL JFD-7104-8A**



**MODEL JFD-7104-9**



All dimensions are in /mm.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Extraction, Removal & Insertion Tools](#) category:*

*Click to view products by [Sprague Goodman](#) manufacturer:*

Other Similar products are found below :

[M8196914-08](#) [768211-2](#) [809-131](#) [844751-2](#) [8-59558-2](#) [91018-1](#) [12014013](#) [12093647](#) [1-21048-0](#) [R282867020](#) [12093078](#) [1-21048-6](#)  
[12121897](#) [DCF.91.405.5LT](#) [1322](#) [15314260](#) [15313892](#) [15350698](#) [15350707](#) [15430130](#) [1579018-4](#) [1643916-1](#) [1-679532-0](#) [1976593-3](#)  
[OUTEXT-0321](#) [2-1579008-3](#) [2-1579008-4](#) [229694-7](#) [231106-1](#) [241469](#) [91040-3](#) [91040-7](#) [965004-000](#) [965069-000](#) [1738219-1](#) [ET-JL05-16](#)  
[FG 0300 146 3000](#) [FIT-6](#) [210S048](#) [2-1579007-9](#) [231879-1](#) [312138-3](#) [RJ11FODE](#) [356-162](#) [M8196914-10](#) [4-1579018-0](#) [430395-001](#) [483249-](#)  
[1](#) [5-1579007-2](#) [5-1579007-9](#)