

# CDCL WLZ DATA SHEET



MODEL	CDCL WLZ
<b>PART NUMBER</b>	CDCL3000C0-0003R0WLZ

Version	Revision of historical records
V2020-1	The First Release
V2020-2	Version Update
V2020-3	Version Update
V2020-4	ESR parameters optimization

FEATURES
Low ESR & High Power Density
Over 1,000,000 duty cycles
Laser welding connection

APPLICATIONS
EV/HEV
Heavy duty machinery
Hybrid drive trains
Locomotive engine startup system
Mass transportation braking energy recovery system


## CONSTRUCTION & DIMENSIONS

### 1) Construction

Inside structure: fold anode and cathode electrode with separator

Outer structure: aluminum case, insulating sleeve

### 2) Dimensions



PRODUCT	DIMENSION (mm)		
	D(Max.)	L1	L2
3000F	60.8	138	144.4

## SPECIFICATIONS

Items	Characteristics
Operating Voltage	3.0V DC
Surge Voltage	3.15V DC
Operating Temperature Range	-40°C to 65°C
Capacitance Tolerance	0% to +20% (25°C)
Temperature Performance (-40°C to 65°C)	$\Delta C \leq 5\%$ of rated value@ 25°C $\Delta ESR \leq 50\%$ of rated value @ 25°C
Life (1,500 hours @ 65°C, 3.0V DC)	$C_{end} \geq 80\%$ of rated value $ESR_{end} \leq 200\%$ of rated value
Cycle life (1,000,000 cycles between $V_R$ and $1/2V_R$ )	$C_{end} \geq 80\%$ of rated value $ESR_{end} \leq 200\%$ of rated value

## DETAIL SPECIFICATIONS

CAP (F)	Part Number	ESR(mΩ)		LC (mA, RT 72hrs)	MAX. Energy Stored (Wh)	Max. Energy Density (Wh/kg)	Max. Continuous Current (15/40°C, A)	Max. Peak Current (A)	Typical Thermal Resistance (R <sub>th</sub> , °C/W)	Typical Thermal Capacitance, (C <sub>th</sub> , J/°C)	Typical Mass (g)
		AC@ 1kHz Max.	DC Max.								
3000	CDCL3000C0-0003ROWLZ	0.18	0.30	12.0	3.75	7.5	127/207	2368	3.2	590	500

All rights reserved. Design and specifications are subjected to change without notice.

### NINGBO CRRC NEW ENERGY TECHNOLOGY CO.,LTD.

Add: No.199 Shidai Road,Wuxiang Town,Yinzhou District, Ningbo,Zhejiang,China

Email: [info@spscap.com](mailto:info@spscap.com)

Website: [www.spscap.com](http://www.spscap.com)



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Supercapacitors](#) / [Ultracapacitors](#) category:*

*Click to view products by [SPSCAP](#) manufacturer:*

Other Similar products are found below :

[C-TEC1225 P](#) [SCCY73B407SLBLE](#) [CDCL3000C0-002R85STB](#) [CDCM0800C0-0002R7SPD](#) [MDCM0058C0-0016R0TBZ](#) [FE0H473ZF](#)  
[MAL223551012E3](#) [MAL223551014E3](#) [MAL223551015E3](#) [MAL223551016E3](#) [MAL223551007E3](#) [MAL223551001E3](#) [MAL223551008E3](#)  
[MAL219612474E3](#) [CPM3225A-2K](#) [HS208F](#) [DMF3Z5R5H474M3DTA0](#) [DRE10/2.5](#) [DRL106S0TI25RRDAP](#) [DRL226S0TK25RR](#)  
[106DCN2R7M](#) [SCCT30B156SRB](#) [SCMR14C474MSBA0](#) [SCMR22C155MSBA0](#) [DRL475S0TG20RRDAP](#) [GW209F](#) [TV1020-3R0605-R](#)  
[TV1245-3R0346-R](#) [SCCX50B207VSB](#) [PAS0815LS2R5105](#) [HVZ0E475NF](#) [SCMR18F105PSBA0](#) [FT0H565ZF](#) [FE0H224ZF](#)  
[SCCT30E156SRB](#) [MAL222090006E3](#) [SCCY68B407SSBLE](#) [CPH3225A-2K](#) [207DCN2R7M](#) [DB5U307W35050HA](#) [SCCX50B227SSBLE](#)  
[DGH505Q5R5](#) [DGH305Q2R7](#) [DGH505Q2R7](#) [DGH705Q2R7](#) [DGH506Q2R7](#) [DGH504Q5R5](#) [DGH335Q2R7](#) [DGH256Q2R7](#) [DGH255Q5R5](#)