



Heat at work.
Hot-melt gluing and hot air



Do-it-yourself has a future.

STEINEL's new hot air tools and hot-melt glue applicators.

Modern, ergonomic, superior - this was the philosophy in developing our new generation of thermo tools. We took a close look at the personal needs of our customers and the technical options, confronting developers and designers with a clear brief: Build the best thermo tools we have ever made! We are more than happy with the result. Products that not only look good but also extend the lead over competitors in terms of technology.

Products that are not only intelligently made but also last. This is the result of expertise we gave gathered over 30 years and production in our own European factories.

As we said: Do-it-yourself has a future.



Small. Fast. Dripless. Fits in any drawer. Cordless hot-melt glue pen **neo1**

The cordless and practical neo1 all-purpose glue applicator is the ideal tool for creative work – and ready to use in just 15 seconds. The new anti-drip system (ATS) means the adhesive is automatically drawn back into the nozzle on releasing the feed button. Glue that keeps on running is now a thing of the past. And the high-performance lithium-ion rechargeable battery provides enough power for up to 200 applications.



Adding decorations. Making colourful and attractive tealight holders.



Includes
3 glue sticks
7 mm dia.



Includes
USB charger



LED battery-
charge status
indicator



Easy to
recharge

Everything under control. Without cables, but with plenty of gluing power. Cordless hot-melt glue applicator **neo2**

Professional qualities in practical dimensions: the neo2 cordless hot-melt glue applicator is the perfect partner for all DIYers. The cordless powerhouse with high-performance rechargeable battery is ready to use in 15 seconds and glues for up to 30 minutes in continuous operation. It joins virtually all materials neatly and accurately – metal, wood, plastics, ceramics and many others.



Joining. Quickly mending broken toys with hot-melt glue.



Includes
3 glue sticks
7 mm dia.



Includes
USB charger



LED battery-
charge status
indicator



Easy to
recharge

Strong. Neat. Versatile. No compromising. Hot-melt glue applicator **Gluematic 5000**

Mounting wall plugs, gluing picture frames or assembling flower arrangements: Not a problem for the high-performance Gluematic 5000 – where and whenever you choose. Because after heating up for three to five minutes, the tool is ideal for 20 minutes of cordless gluing work thanks to its modern heat storage system. For prolonged gluing work over large areas, this all-rounder with a very high glue delivery rate (22 g/min) can, of course, also be connected directly to the power supply.



Includes
standard and long nozzle



Securing. Fixing shelf supports in cabinets.



Includes
5 glue sticks
11 mm dia.



Ready for use
in 3 – 5 min.



Interchangeable
gluing nozzles



Up to 20 min.
of cordless
gluing



Corded
operation for
continuous
work



Includes
standard
nozzle



Includes
long nozzle

The original. Versatile and reliable. Hot-melt glue applicator **Gluematic 3002**

High melting capacity (16 g/min), small and practical size, incredibly easy to operate and ready for use in just seven minutes: the electronically controlled Gluematic 3002 is the one for (almost) everything. A reliable helper for hobby and DIY, it is the perfect tool for joining, repairing, sealing and for all sorts of other jobs around the home. Also practical - the interchangeable accessory nozzles.



Also available in a case, including 8 glue sticks in a dia. of 11 mm.



Decorating. Decorative floral rings are so easy to make yourself.



Includes glue sticks 11 mm dia.



Ready for use in 7 min.



Interchangeable gluing nozzles

The starter model for working creativity. Hot-melt glue applicator **Gluefix**

Gluefix is the perfect hot-melt glue applicator for everyone who likes to be creative, do craft work and decorate. The entry-level model in a modern design impresses with its slim-line and ergonomic shape, is incredibly light to hold and intuitive in use. With these unmatched qualities, Gluefix makes the perfect choice for precision gluing jobs.



Being creative. Making your own greeting cards with coloured hot-melt glue sticks.



Includes
2 glue sticks
11 mm dia.



Ready for use
in 7 – 8 min.

Hot-melt glue applicators at a glance



	neo1	neo2	Gluematic 5000	Gluematic 3002	Gluefix
Decoration / craft / repair	•	•	•	•	•
Cordless gluing	with li-ion battery for 200 applications	with li-ion battery for 200 applications	up to 30 min. heat storage capability		
7 mm glue sticks	includes 3 sticks	includes 3 sticks			
11 mm glue sticks			includes 5 sticks	includes 3 sticks	includes 2 sticks
interchangeable gluing nozzles			includes 2 nozzles	available as accessory	
15-sec. quick start	•	•			
Melting temperature	170 °C	170 °C	210 – 220 °C	206 °C	200 °C
Delivery rate	3 g/min	3 g/min	22 g/min	16 g/min	13 g/min

Quality adhesives
from STEINEL.

In the re-sealable "Easy-Pack".

All glued.
All done. All sorted.

Benefits of hot-melt glue.

- Fast – bonds within seconds
- Solvent-free – so non-toxic
- The all-purpose glue – for virtually any material
- Can be taken apart again with hot air



Always ready. Keeping hot-melt glue sticks protected and ready at all times.



Pull open.



Take a stick out.



Re-seal.





The high-end model. Hot air tool **HL 2020 E**

Professional DIYers opt for the sturdy HL 2020 E hot air tool. The electronically controlled thermo tool delivering 2200 watts of power is easily operated by joystick, regulates temperature from 80 to 630 °C and provides user convenience with its LCD display. The residual heat indicator warns the user that the outlet nozzle is still hot. Precision adjustable heat and powerful blower make this high-end tool the ideal choice for virtually any application – shrinking on cable sleeves, welding, shaping and many other challenging jobs.



Also available in a case including 9 mm reduction nozzle.



Repairing. Welding PVC water tank.



Optimised weight balance



Non-slip standing surface



3-stage airflow




LCD display



Residual heat indicator



Heat build-up warning



Hanger



Temperature easy to set by joystick




Replaceable power cord

Precision temperature measurement.

Temperature scanner **HL Scan**

for HL 2020 E and HL 1920 E



Anybody working with sensitive materials relies on HL Scan. The unit reliably and accurately measures workpiece temperature by sensor. As a practical helper, the beam of LED light marks the area you are working on. Visual and acoustic warning signals tell the user whether the surface is too cold or too hot. This means the scanner always makes sure you are working in the ideal temperature range. Making HL Scan the ideal addition to the HL 2020 E and HL 1920 E – and the perfect way to avoid damaging sensitive materials.



Smoothing. Smoothing leather at right temperature with optional HL Scan.



Visual warning: too hot



Temperature ideal



Visual warning: too cold



Acoustic warning



For challenging jobs. Hot air tool **HL 1920 E**

Finished to a high level of quality with optimum weight balance and long life, the HL 1920 E hot air tool is an absolute "must" for the ambitious DIY enthusiast. The multi-talented all-rounder impresses with 2000 watts of power, infinitely variable temperature adjustment from 80 to 600 °C and airflow control in three settings. And if it ever gets too hot when welding plastic or stripping paint, the automatic cut-out protects the tool from overheating.



Shaping. Using heat for getting plastic into exactly the right shape.



Optimised weight balance




Non-slip standing surface



3-stage airflow



infinitely variable temperature setting



Hanger



Gateway to the world of hot air.

Hot air tool **HL1620 S**

Drying plasterwork, lighting the barbecue or finally getting round to waxing those skis: around the home and elsewhere too, there are endless jobs to be done. Just as well when there's professional assistance. The HL 1620 S hot air tool helps to overcome everyday challenges with effortless ease. Adjustable in two stages, this all-rounder works in a temperature range of 300 or 500 °C, comes with an optimised weight balance for fatigue-free work as well as an integrated thermal cut-out. And all weighing in at only 670 grams. Second to none!



Removing. Stickers are easy to remove with hot air.



Optimised
weight balance



2-stage
airflow

Small and practical. Ideal for model-making. Hot air tool **HL Stick**

No matter whether for minor repairs and craft work or exacting model-making: precision is the be-all and end-all – and what the HL Stick does best. The versatile and compact hot air tool gets the trickiest of jobs done with pinpoint accuracy. With its lightweight design and precision nozzles, the stick can even reach those hard-to-reach places in models and other cavities. The secure standing surface also lets handicraft enthusiasts work hands-free and the integrated LED light perfectly illuminates every last corner. Getting heat to exactly where it's needed.



Heat-shrinking. Secure standing for hands-free work.



LED work light



Hanger





Hot air accessories

Removing and shaping



Surface nozzle 50 mm
EAN 4007841 070113



Surface nozzle 75 mm
EAN 4007841 070212



Window nozzle 50 mm
EAN 4007841 070311



Window nozzle 75 mm
EAN 4007841 070410



Paint scraper set, 5-piece
EAN 4007841 010317

Heat-shrinking



Reflector nozzle
EAN 4007841 070519



Crimp connectors
0.5 – 1.5 mm dia.
EAN 4007841 006655
1.5 – 2.5 mm dia.
EAN 4007841 006648
0.1 – 6.0 mm dia.
EAN 4007841 006662



Heat-shrinkable tube
1.6 – 4.8 mm dia.
EAN 4007841 071318
4.8 – 9.5 mm dia.
EAN 4007841 071417
4.0 – 12.0 mm dia.
EAN 4007841 072766
Set
EAN 4007841 075811

Why STEINEL hot air tools are the best.

Details at a glance

For you, Electronic Control means:

- Cer amic heater for a useful life of up to 600 hours
- All STEINEL accessories can be used, including HL-Scan
- Higher working temperatures can be reached
- Over heating protection when using reduction nozzles



Non-slip standing surface. On the HL 2020 E and HL 1920 E.



Optimised weight balance.
Permits prolonged fatiguefree work.



Replaceable power cord.
On the HL 2020 E.



Hanger.
On the HL 2020 E,
HL 1920 E und HL Scan.



Residual heat indicator.
On the HL 2020 E.

Fast. Easy. And ultra-precise. Polystyrene cutter **Styrofix**

The Styrofix heat cutter does exactly what it says: the tool quickly and easily cuts through rigid foam boards, such as polystyrene, Sagex or Alporit, to give precision results. The three blades - standard, precision and hook blade - provide DIYers with a broad range of options to cover all sorts of different applications. Ideal for making polystyrene rings, creating model landscapes or cutting coving with utmost precision – and, of course, always with a perfect cut.



Model-making. Producing your own replacement parts or making new models.



Ready for use in 6 seconds



Max. cutting depth 50 mm



Cutting blades easy to change



No problem cutting perfectly round circles



Cutting out small cable channels

Heat at work. **STEINEL** brand presentation

Clear, compact, sales boosting.

Compact and clearly arranged, the STEINEL brand presentation stand impressively spotlights the range of hot air tools and hot-melt glue applicators. Customers find the right product and accessories at first glance. Numerous sales-promoting details underscore STEINEL's high-quality brand identity and whet the appetite for DIY. That attracts customers – and boosts sales.



STEINEL quality in product and presentation leaving your customers in no doubt.



Application labelling to help customers choose the right product.



Free information flyers for your customers.



Banner showing many applications and advice.

STEINEL. The Original.



STEINEL Brand

- STEINEL has been brand leader in hot air tools for over 30 years
- German engineering
- Produces in Europe



STEINEL Customer Service

- Phone: +49 (0)5245 448 188
- E-mail: service@steinel.de
- Monday – Friday 8 a.m. – 5 p.m.



STEINEL Warranty

Needless to say, our management system holds certification under Quality Standard DIN EN ISO 9001 and Environmental Management Systems Standard DIN EN ISO 14001



www.steinel.de

- Product overview
- Operating instructions for downloading
- Product videos



Certified Quality

For us, it goes without saying that all products from STEINEL comply with European safety standards. Despite involving a huge effort and not always easy from a technical point of view, we're never deterred. Because it's all worth it. So you get certified quality – every step of the way.



STEINEL Repair Service

- 48-hour repair service for STEINEL hot air tools



STEINEL Replacement Parts Service

- Availability guaranteed for genuine STEINEL parts

STEINEL Vertrieb GmbH | Dieselstrasse 80 - 84 | 33442 Herzebrock - Clarholz | Germany
Phone + 49 (0) 5245 448- 0 | Fax + 49 (0) 5245 448 197

www.steinell.de
www.youtube.com/steinelgmbh
www.xing.com/companies/steinelvertriebgmbh

STEINEL[®]

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Hand Tools](#) category:

Click to view products by [Steinel](#) manufacturer:

Other Similar products are found below :

[568681-1](#) [576786-2](#) [58061-1](#) [58176-1](#) [58177-1](#) [58177-2](#) [58284-1](#) [59085](#) [0031](#) [59737-5](#) [015-0339-000](#) [015-8755-001](#) [600-146-06](#) [M15570-25](#) [62200-5709](#) [6-304052-1](#) [63443-1002](#) [63443-3513](#) [63443-4025](#) [63443-7114](#) [6-354778-5](#) [6-354779-2](#) [63600-2995](#) [63810-0105](#) [M8196914-08](#) [M819698-07](#) [662508-1](#) [662908-1](#) [679994-1](#) [679994-2](#) [68764-0001](#) [69001-0105](#) [69002-5525](#) [690124-7](#) [690191-1](#) [690191-4](#) [690696-1](#) [691409-4](#) [691667-1](#) [692006-2](#) [692655-7](#) [692776-1](#) [692776-4](#) [693077-3](#) [693077-4](#) [693597-1](#) [D20418-137](#) [D20419-189](#) [ESR-17x17](#) [ET-LY10](#)