


L9958 Evaluation board for high current (8.6A) DC and Stepper Motors

Data brief



- Possibility to hardware setup EN, DI and DIR by jumpers
- No heat-sink is required

Description

The EVAL-L9958 is the simplest solution to evaluate L9958 functionalities providing all the inputs and outputs capabilities necessary to drive DC or Stepper motors and monitor diagnostic functions.

L9958 is fully integrated motor driver for DC and stepper motors used in safety critical applications and under extreme environmental conditions . It can operate from 4 Vmin to 28 Vmax delivering to the load up to 8.6A. The current regulation threshold can be set by SPI from 2.5A to 8.6A (Typ.) in 4 steps. Detailed failure diagnostics on each channel is provided via SPI: short circuit to battery, short circuit to ground, short circuit overload, over temperature. Open-load can be detected in ON condition, for the widest application ranges. The EVAL-L9958 board is suitable for both beginners and expert users working in standalone mode connected with any control system or combined with all SPC5 Discovery+ boards though a computer graphic interface or though embedded application examples. The board is compatible with both 5 V and 3.3 V control systems

Features

- Wide supply voltage range (VBatt): 4 V ÷ 28 V
- Current regulation threshold set by SPI: 4 levels from 2.5 A to 8.6 A (Typ.)
- Device controlled and programmed via SPI
Diagnostic functions accessible via SPI:
 - short circuit to battery
 - short circuit to ground
 - short circuit overload
 - over temperature
 - open load
- On board 5V, 1.5A Voltage regulator
- 2 LEDs for monitoring VBatt and EN signal
- Input signal connector compatible with the SPC5 Discovery+ boards
- Possibility to connect the board to microcontroller boards by a simple adaptor or by wires
- Test points to monitoring both input signals (SPI, PWM, EN) and outputs

Table 1: Device summary

Order codes	Reference
EVAL-L9958	EVAL-L9958 Evaluation board

Contents

- 1 System requirements, HW and SW resources 3**
 - 1.1 Development tool chain..... 3
 - 1.2 Evaluation software..... 4
- 2 Revision history 5**

1 System requirements, HW and SW resources

1.1 Development tool chain

- Graphic User Interface: Labview
- Software development environment (in connection with SPC5 MCUs) : SPC5Studio
- Hardware set-up
 - Board stand alone *Figure 1: "EVAL-L9958 Evaluation Board"*
 - PC Graphic User Interface -SPC560P-DISP (dedicated Firmware) - EVAL-L9958 *Figure 2: "SPC560P-DISP (dedicated Firmware) - EVAL-L9958"*
 - Any SPC56 Discovery + Application Examples (within SPC5 Studio) + EVAL-L9958 *Figure 3: "SPC56 Discovery + Application Examples (within SPC5 Studio) + EVAL-L9958"*

Figure 1: EVAL-L9958 Evaluation Board




Figure 2: SPC560P-DISP (dedicated Firmware) - EVAL-L9958





Figure 3: SPC56 Discovery + Application Examples (within SPC5 Studio) + EVAL-L9958



1.2 Evaluation software

Demonstration software is available on ST web site for free download.

2 Revision history

Table 2: Revision history

Date	Revision	Changes
01-Aug-2014	1	Initial release.
07-Jan-2015	2	Updated figure in the cover page and figures in all documents..

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2015 STMicroelectronics – All rights reserved

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Power Management IC Development Tools](#) category:

Click to view products by [STMicroelectronics](#) manufacturer:

Other Similar products are found below :

[EVAL-ADM1168LQEBZ](#) [EVB-EP5348UI](#) [MIC23451-AAAYFL EV](#) [MIC5281YMME EV](#) [DA9063-EVAL](#) [ADP122-3.3-EVALZ](#) [ADP130-0.8-EVALZ](#) [ADP130-1.2-EVALZ](#) [ADP130-1.5-EVALZ](#) [ADP130-1.8-EVALZ](#) [ADP1712-3.3-EVALZ](#) [ADP1714-3.3-EVALZ](#) [ADP1715-3.3-EVALZ](#) [ADP1716-2.5-EVALZ](#) [ADP1740-1.5-EVALZ](#) [ADP1752-1.5-EVALZ](#) [ADP1828LC-EVALZ](#) [ADP1870-0.3-EVALZ](#) [ADP1871-0.6-EVALZ](#) [ADP1873-0.6-EVALZ](#) [ADP1874-0.3-EVALZ](#) [ADP1882-1.0-EVALZ](#) [ADP199CB-EVALZ](#) [ADP2102-1.25-EVALZ](#) [ADP2102-1.875EVALZ](#) [ADP2102-1.8-EVALZ](#) [ADP2102-2-EVALZ](#) [ADP2102-3-EVALZ](#) [ADP2102-4-EVALZ](#) [ADP2106-1.8-EVALZ](#) [ADP2147CB-110EVALZ](#) [AS3606-DB](#) [BQ24010EVM](#) [BQ24075TEVM](#) [BQ24155EVM](#) [BQ24157EVM-697](#) [BQ24160EVM-742](#) [BQ24296MEVM-655](#) [BQ25010EVM](#) [BQ3055EVM](#) [NCV891330PD50GEVB](#) [ISLUSBI2CKIT1Z](#) [LM2744EVAL](#) [LM2854EVAL](#) [LM3658SD-AEV/NOPB](#) [LM3658SDEV/NOPB](#) [LM3691TL-1.8EV/NOPB](#) [LM4510SDEV/NOPB](#) [LM5033SD-EVAL](#) [LP38512TS-1.8EV](#)