


**Type: UU9LFB, UU9LFBH**
**Product Description**

- 16.5 × 11.0mm Max.(L × W), 16.5mm Max. Height. (UU9LFB)
- 16.5 × 15.5mm Max.(L × W), 12.5mm Max. Height. (UU9LFBH)
- Inductance range: 3.2mH ~ 28mH
- Rated current range: 0.13 ~ 0.36A
- In addition to the standard versions of parameters shown here, custom designs are available to meet your exact requirements.



**Feature**

- Impedance characteristic in high frequency range is improved by split bobbin compared with UU9LF(H).
- Ideally used as common mode noise filter for TV, VCR, Switching power supply, NC machine, PC & PC related advice, measurement and control unit..
- RoHS Compliance

**Dimensions (mm)**


\* Dimension does not include solder used on coil.

\* Terminal pitch is measured at the base(not from tip of the pin)

**Type: UU9LFB, UU9LFBH**
**Schematics (Bottom)**


- \* Winding start is #1,#4 or #2,#3 .
- \* #1&#4, #2&#3 : should be same polarity.

**Specification(UU9LFB)**

NO.	Part No.	Stamp	Inductance(mH) (1-2)( 4-3) Min.(Typ.) 1kHz	Inductance Balance [ MAX. ] ( μ H)	D.C.R. ( ) [MAX.] (1-2)(4-3) (at 20 )	Rated Current Between (1-4) (2-3) shorted (mA) 1
01	UU9LFBNP-B-B322	B322	3.2(6.3)	150	1.66(1.28)	360
02	UU9LFBNP-B-B502	B502	5.0(10.0)	200	2.81(2.16)	260
03	UU9LFBNP-B-B902	B902	9.0(18)	360	5.0(3.9)	180
04	UU9LFBNP-B-B163	B163	16.5(33)	440	7.0(5.6)	160
05	UU9LFBNP-B-B283	B283	28(56)	700	13.0(10.0)	130

**Specification(UU9LFBH)**

NO.	Part No.	Stamp	Inductance(mH) (1-2)( 4-3) Min.(Typ.) 1kHz	Inductance Balance [ MAX. ] ( μ H)	D.C.R. ( ) [MAX.] (1-2)(4-3) (at 20 )	Rated Current Between (1-4) (2-3) shorted (mA) 1
01	UU9LFBHNP-B-B322	B322	3.2(6.3)	150	1.7(1.3)	360
02	UU9LFBHNP-B-B502	B502	5.0(10.0)	200	2.8(2.2)	260
03	UU9LFBHNP-B-B902	B902	9.0(18)	360	5.0(3.9)	180
04	UU9LFBHNP-B-B163	B163	16(33)	440	7.0(5.6)	160
05	UU9LFBHNP-B-B283	B283	28(56)	700	13.0(10.0)	130

1. Rated current: The DC current at which the temperature rise is  $t = 40$  .( $T_a = 20$  ).

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Common Mode Chokes / Filters](#) category:*

*Click to view products by [Sumida](#) manufacturer:*

Other Similar products are found below :

[PE-64683](#) [RD5122-6-9M6](#) [RD6137-6-7M5](#) [RD8147-16-3M0](#) [ST6118T-R](#) [FE3X025-10-7NL](#) [RD7147-25-0M7](#) [TCM0806G-350-2P-T](#)  
[TCM0806G-650-2P-T](#) [IND-0110](#) [UAL21VR0802000](#) [UALSC023000000](#) [UALSC1020JH000](#) [UALSU10VD20010](#) [UALSU9VD070100](#) [36-00037](#) [UALW21HS072450](#) [UALSU9H0208000](#) [UAL24VK06450CH](#) [PLT10HH501100PNB](#) [PLT10HH401100PNB](#) [PLT10HH1026R0PNB](#)  
[36-00029-01](#) [PE-67531](#) [TLH10UB](#) [113 0R5](#) [2752045447](#) [7351V](#) [CMF16-153131](#) [RD7147-6-6M0](#) [T8116NLT](#) [FE2X10-4-2NL](#) [36-00029-07](#)  
[T8003NLT](#) [CTX01-13663](#) [CTX66-19521-R](#) [RC212-0.5-10M](#) [RC112-0.4-15M](#) [RC212-0.6-6M8](#) [RC212-0.4-15M](#) [RC112-0.3-30M](#)  
[WTCF2012Z0M751PB](#) [PH9408.814NLT](#) [PAC6006.364NLT](#) [PAC6006.444NLT](#) [PAC6006.204NLT](#) [PH9407.204NLT](#) [PAC6006.264NLT](#)  
[PH9408.105NLT](#) [PH9408.494NLT](#) [PAC6006.104NLT](#)