

# ME-FC·FD Series

105°C, High Voltage

105°C Low Profile, High Voltage




- 105°C 1,000 to 2,000hours
- Non solvent proof

## Specifications

Items	Condition	Specifications						
Rated voltage (V)	—	160	200	250	350	400	450	
Surge voltage (V)	Room temperature	200	250	300	400	450	500	
Category temperature range (°C)	—	-40 to +105						
Capacitance tolerance (%)	120Hz/20°C	M : ±20						
Dissipation Factor (tan δ)	tanδ(max.) 120Hz/20°C	0.20	0.20	0.20	0.25	0.25	0.25	
Leakage current(LC)	μA/after 2minutes (max.)	CV ≤ 1,000	0.03CV + 15					
		CV > 1,000	0.02CV + 25					
Impedance ratio at low temperature	Based on the value at 120Hz, +20°C	-25°C Z/Z <sub>20°C</sub>	3	3	3	4	6	6
		-40°C Z/Z <sub>20°C</sub>	6	6	6	8	10	—
Endurance	105°C rated voltage applied (With the rated ripple current)	Test	φ5 to φ8 : 1,000hours, φ10 to φ18 : 2,000hours					
		ΔC/C	Within ±20% of the initial value					
		tanδ	Less than 200% of the specified value					
		LC	Less than the specified value					

## Dimensions


 $\alpha : L < 20 \quad \alpha = 1.5, L \geq 20 \quad \alpha = 2.0$ 

A pressure relief vent is provided for φD=6.3 or bigger

(Unit : mm)

φD	5	6.3	8	10	12.5	16	18
F	2.0	2.5	3.5	5.0	5.0	7.5	7.5
φd	0.5	0.5	0.6	0.6	0.6	0.8	0.8

## Size, Rated Ripple Current

μF \ V	160	200	250	350	400	450
0.47	5×11	7.0	5×11	8.0	5×11	8.0
1.0	5×11	15	5×11	16	5×11	18
2.2	6.3×11	22	6.3×11	24	6.3×11	25
3.3	6.3×11	28	6.3×11	32	8×11.5	34
4.7	6.3×11	39	8×11.5	40	8×11.5	41
10	8×11.5	63	8×12.5	64	10×12.5	66
22	10×12.5	107	10×16	112	10×20	119
33	10×20	137	10×20	147	12.5×20	154
47	12.5×20	172	12.5×20	175	12.5×25	182
68	12.5×20	217	12.5×25	228	16×25	235
82	12.5×25	270	16×21	277	16×30	284
100	12.5×25	287	16×25	301	16×35.5	302
150	16×30	385	16×35.5	403	18×35.5	412
220	16×35.5	522	18×35.5	532		

Please refer to page 14 for ripple current frequency coefficients.



Upper : ME-FC series(0.47μF to 4.7μF:ME-FC series)

Lower : ME-FD series

Case size:φD×L(mm)

 Rated ripple current  
mA rms(120Hz, 105°C)

## Part number



ME-SWB

ME-UZ-SZ

ME-UAX-SAX

ME-SWG

ME-HC

ME-LS

ME-CZ

ME-CA

ME-CX

ME-AX

ME-WX

ME-WA

ME-WL

ME-WG

ME-FX

ME-PX

ME-HPC-HPD

ME-FC-FD

ME-FH

ME-SWN

ME-HWN

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Aluminium Electrolytic Capacitors - Radial Leaded](#) category:*

*Click to view products by [SUN](#) manufacturer:*

Other Similar products are found below :

[LXY50VB4.7M-5X11](#) [RFO-100V471MJ7P#](#) [ECE-A1EGE220](#) [1814181](#) [NCD681K10KVY5PF](#) [NEV1000M25EF-BULK](#) [NEV100M35DC](#)  
[NEV100M63DE](#) [NEV220M25DD-BULK](#) [NEV.33M100AA](#) [NEV4700M50HB](#) [NEV.47M100AA](#) [NEVH1.0M250AB](#) [NEVH3.3M250BB](#)  
[NEVH3.3M450CC](#) [KME50VB100M-8X11.5](#) [SG220M1CSA-0407](#) [ES5107M016AE1DA](#) [ESX472M16B](#) [476CKH100MSA](#) [477RZS050M](#)  
[UVX1V101KPA1FA](#) [UVX1V222MHA1CA](#) [KME25VB100M-6.3X11](#) [VTL100S10](#) [VTL470S10](#) [511D336M250EK5D](#) [052687X](#) [ECE-](#)  
[A1CF471](#) [EKXG451ELL820MM30S](#) [686CKR050M](#) [NRE-S560M16V6.3X7TBSTF](#) [ERZA630VHN182UP54N](#) [UPL1A331MPH](#)  
[NEV1000M6.3DE](#) [NEV100M16CB](#) [NEV100M50DD-BULK](#) [NEV2200M16FF](#) [NEV220M50EE](#) [NEV2.2M50AA](#) [NEV330M63EF](#)  
[NEV4700M35HI](#) [NEV4.7M100BA](#) [NEV47M16BA](#) [NEV47M50CB-BULK](#) [NEVH1.0M350AB](#) [NEVH2.2M160AB](#) [NEVH3.3M350BC](#)  
[TER330M50GM](#) [477KXM035MGBWSA](#)