

# Wire Wound Chip Common Mode Choke Coil – SDCW-CH Series

Operating Temp. : -40°C~+85°C



## FEATURES

- Winding type realizes small size and low profile
- Suppress noise for the high-speed differential signal lines
- Excellent solder ability

## APPLICATIONS

- High speed differential signal lines for HDMI, DVI, etc.

## PRODUCT IDENTIFICATION



<u>SDCW</u> ①	<u>2012</u> ②	<u>CH</u> ③	<u>-2</u> ④	<u>-900</u> ⑤	<u>T</u> ⑥	<u>F</u> ⑦														
①	②		③		④															
<table border="1"> <tr><td colspan="2">Type</td></tr> <tr><td>SDCW</td><td>Winding Type Common Mode Choke Coil</td></tr> </table>	Type		SDCW	Winding Type Common Mode Choke Coil	<table border="1"> <tr><td colspan="2">External Dimensions (L×W) (mm)</td></tr> <tr><td>2012 [0805]</td><td>2.0×1.2</td></tr> </table>		External Dimensions (L×W) (mm)		2012 [0805]	2.0×1.2	<table border="1"> <tr><td colspan="2">Code</td></tr> <tr><td>CH</td><td>HDMI、DVI Coating &amp; For HDMI and DVI</td></tr> </table>		Code		CH	HDMI、DVI Coating & For HDMI and DVI				
Type																				
SDCW	Winding Type Common Mode Choke Coil																			
External Dimensions (L×W) (mm)																				
2012 [0805]	2.0×1.2																			
Code																				
CH	HDMI、DVI Coating & For HDMI and DVI																			
④	⑤		⑥		⑦															
<table border="1"> <tr><td colspan="2">Number of Lines</td></tr> <tr><td colspan="2">2</td></tr> </table>	Number of Lines		2		<table border="1"> <tr><td colspan="2">阻抗 Impedance</td></tr> <tr><td>Example</td><td>Nominal Value</td></tr> <tr><td>900</td><td>90Ω</td></tr> </table>		阻抗 Impedance		Example	Nominal Value	900	90Ω	<table border="1"> <tr><td colspan="2">Packing</td></tr> <tr><td>T</td><td>Tape &amp; Reel</td></tr> </table>		Packing		T	Tape & Reel		
Number of Lines																				
2																				
阻抗 Impedance																				
Example	Nominal Value																			
900	90Ω																			
Packing																				
T	Tape & Reel																			
⑦																				
<table border="1"> <tr><td colspan="2">Hazardous Substance Free Products</td></tr> <tr><td colspan="2">F</td></tr> </table>							Hazardous Substance Free Products		F											
Hazardous Substance Free Products																				
F																				

## SHAPE AND DIMENSIONS

SDCW2012CH TYPE

Recommended Land Pattern

Unit: mm




## SPECIFICATIONS

### SDCW-CH TYPE

Part Number	Common Mode Impedance @100MHz	Max. DC Resistance	Max. Rated Current	Rated Voltage	Min. Insulation Resistance
Units	$\Omega$	$\Omega$	mA	Volts	M $\Omega$
Symbol	Z	DCR	I <sub>r</sub>	V <sub>DC</sub>	IR
SDCW2012CH-2-670TF	67±25%	0.5	250	50	10
SDCW2012CH-2-900TF	90±25%	0.6	200	50	10
SDCW2012CH-2-121TF	120±25%	0.6	200	50	10


※Products with other electrical characteristics can be provided upon customer's request. Please contact your local sales.

## EQUIVALENT CIRCUIT




## TYPICAL ELECTRICAL CHARACTERISTICS

Impedance vs. Frequency



Insertion Loss



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Common Mode Chokes / Filters](#) category:*

*Click to view products by [Sunlord](#) manufacturer:*

Other Similar products are found below :

[RGCMF1210900H3T](#) [B82722A2102N001](#) [UAL21V07012500](#) [UAL24VR06500CH](#) [UALSC0220G0000](#) [UALSC058000000](#)  
[UALSC0580J0000](#) [UALSC1520JH000](#) [UALSU10VR15019](#) [UALSU10VR20010](#) [UALSU16VD30030](#) [UALSU16VD40010](#)  
[UALSU9H0305000](#) [UALSU9HF030600](#) [UALSU9HF060300](#) [UALSU9HR050340](#) [UALSU9VD070100](#) [UALSU9VR070170](#) [36-00037](#)  
[5701610000](#) [CM7060M132R-10](#) [UALW21HS200290](#) [UALW21HS072450](#) [UALSU9VD070400](#) [UALSU9V0701000](#) [UALSU9HR030900](#)  
[UALSU9HF050500](#) [UALSU9HF050300](#) [UALSU9H0701000](#) [UALSU9H0208000](#) [UALSU9H0110000](#) [UALSCF25081300](#)  
[UALSC0305GS000](#) [UALSC0120G0000](#) [UAL24VK06450CH](#) [UAL11VL1105000](#) [RN112-3.6-02-0M4](#) [RN114-1.2-02-10M](#) [RN122-0.6-02-](#)  
[47M](#) [RN122-3-02-4M5](#) [RN142-1-02-33M](#) [RN214-2.5-02-3M3](#) [RN112-2-02-1M0](#) [RN143-6-02-1M8](#) [RN214-0.8-02-27M](#) [RN242-1.4-02-27M](#)  
[EXC-X4CH120X](#) [DLW5BTM102TQ2L](#) [CMF16-153131](#) [CMF23H-273141](#)