


**Extension cable Plug (2.1x5.5x11-S to S/T) 2wc 0.2m****Extension cable Plug (2.5x5.5x11-S to S/T) 2wc 0.2m**

Country of Origin	China
Operating Temperature	0 ÷ 40[°C]
Cable type	20AWG - 2wc
DC Connector	2.1x5.5x11 with center springs 2.5x5.5x11 with center springs
Max. load	5A
Weight	N.W.: 6g / pc
Packing bunch	Various [pcs] 50

**Extension cable Plug (2.1x5.5x11 to S/T) 2wc 0.8m****Extension cable Plug (2.5x5.5x11-S to S/T) 2wc 0.8m**

Country of Origin	China
Operating Temperature	0 ÷ 40[°C]
Cable type	20AWG - 2wc
DC Connector	2.1x5.5x11 with center springs 2.5x5.5x11 with center springs
Max. load	5A
Weight	N.W.: 16g / pc
Packing bunch	Various [pcs] 20

**Extension cable Plug (2.1x5.5x11 to S/T) 2wc 1.5m**

Country of Origin	China
Operating Temperature	0 ÷ 40[°C]
Cable type	20AWG - 2wc
DC Connector	2.1x5.5x11 with center springs
Max. load	5A
Weight	N.W.: 27g / pc
Packing bunch	Various [pcs] 10

**Extension cable Plug (2.1x5.5x11-S to S/T) 2wc 2.0m**

Country of Origin	China
Operating Temperature	0 ÷ 40[°C]
Cable type	20AWG - 2wc
DC Connector	2.1x5.5x11 with center springs
Max. load	5A
Weight	N.W.: 50g / pc
Packing bunch	Various [pcs] 10



**Extension cable Plug (2.1x5.5x11 to S/T) rc 3.0m**

Country of Origin	China
Operating Temperature	0 ÷ 70[°C]
Cable type	20AWG - 3.9/2RC
DC Connector	2.1x5.5x11 with center springs
Max. load	5A
Weight	N.W.: 81g / pc
Packing bunch	Various [pcs] 5

**Extension cable Plug (2.1x5.5x11 to S/T) rc 4.0m**

Country of Origin	China
Operating Temperature	0 ÷ 40[°C]
Cable type	20AWG - 3.9/2RC
DC Connector	2.1x5.5x11 with center springs
Max. load	5A
Weight	N.W.: 105g / pc
Packing bunch	Various [pcs] 5

**Extension cable Plug and Plug (2.1x5.5x11) rc 0.5m**

Country of Origin	China
Operating Temperature	0 ÷ 70[°C]
Cable type	20AWG - RC
Maximum Load	5A max.
DC Connector types	Plug 2.1x5.5x11 with center springs
Weight	N.W.: 21g / pc
Packing bunch	Various [pcs] 150

**Extension cable Plug and Plug (2.1x5.5x11) rc 1.0m**

Country of Origin	China
Operating Temperature	0 ÷ 70[°C]
Length / cable type	20AWG - RC
Maximum Load	5A max.
DC Connector types	Plug 2.1x5.5x11 with center springs
Weight	N.W.: 34g / pc
Packing bunch	Various [pcs] 20



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DC Power Cords](#) category:*

*Click to view products by [Sunny](#) manufacturer:*

Other Similar products are found below :

[2R6006A20A120](#) [172-4000](#) [172-4101](#) [21033836407](#) [2J-1865A](#) [2R7006A20A120](#) [426055400-3](#) [96CB-POWER-B-1.8M2](#) [2052KH2-BK](#)  
[804001P03M050G](#) [2050KH1-BK](#) [216603-0037](#) [862545-5](#) [BXC-10567](#) [172-2555](#) [32102-022800-200-RS](#) [DC.CAB.8000.0300](#)  
[DC.CAB.6400.0200](#) [AK-ND-C07](#) [AK-ND-C16](#) [DC.CAB.8400.0020](#) [DC.CAB.4201.0150](#) [DC.CAB.8200.0300](#) [DC.CAB.6601.0200](#)  
[DC.CAB.6601.0020](#) [DC.CAB.4201.0200](#) [DC.CAB.8010.0020](#) [AK-ND-C12](#) [AK-ND-C06](#) [DC.EXT.4200.0300](#) [DC.EXT.6200.0300](#)  
[DC.EXT.8200.0300](#) [DC.CAB.8400.0500](#) [DC.EXT.8610.0100](#) [DC.EXT.4600.0300](#) [AK-ND-C08](#) [AK-ND-C01](#) [DC.CAB.6201.0200](#)  
[DC.CAB.8610.0020](#) [DC.CAB.8600.0500](#) [DC.EXT.8200.0500](#) [DC.CAB.8010.0150](#) [DC.EXT.6200.0100](#) [DC.CAB.8410.0300](#)  
[DC.EXT.4200.0200](#) [AK-ND-C14](#) [AK-ND-C11](#) [DC.EXT.8610.0500](#) [DC.CAB.6600.0020](#) [DC.CAB.8410.0150](#)