# durabit<sup>™</sup> "the better MLC"

# swissbit®


**Product Fact Sheet** 


microSDHC Memory Card for Secure Boot on Raspberry Pi

**PS-45u DP Series "Raspberry Edition"**8GB / 32GB
UHS-I Interface, MLC

Date: July 28, 2021 Revision: 1.02







# Product Fact Sheet PS-45u DP Series



### **Product Summary**

- Capacities: 8 GBytes, 32 GBytes
- Form Factor: Standard microSD Memory card form factor 15.0mm x 11.0mm x 0.7mm (1.0mm)
- **Compliance:** Fully compliant with SD Memory Card specification 2.0 and 3.0 and MICRO SD Memory Card Addendum 4.00
- Performance:
  - o SD Default speed, SD High speed, SD UHS-I
  - o Read Performance: Sequential Read up to 17 MBytes/s, Random Read IOPS up to 800
  - Write Performance: Sequential Write up to 13 MBytes/s, Random Write IOPS up to 500
- Operating Temperature Range:
  - o Industrial: -40 °C to 85 °C
- Operating Voltage: 2.7...3.6V normal operating voltage (Low-power CMOS technology)
- Data Retention: 10 Years @ Life Begin / 1 Year @ Life End

#### **Product Features**

- Protecting Raspberry Pi boot loader (works with Raspberry Pi 2, 3B+, CM3+ and 4)
- Authentication is performed during the Swissbit customized pre-boot phase to unlock access
- Encrypting user data and boot code with AES 256bit to protect licenses, know-how and IP
- The boot image can be set as read-only to prevent unauthorized modification
- Restricting the access to data on the card by various configurable security policies
  - o PIN check a PIN entered via keyboard
  - USB check presence of a USB authentication device (requires a Swissbit USB PU-5on "Raspberry Edition").
    - Note: USB policy is currently supported on Raspberry Pi 2, 3B+ and CM3+.
  - NET policy check presence of an authentication server in the network (requires an additional RaspberryPi as a server)

## **Ordering Information**

Product Type	Product Series	Capacity	Part Number	Usage
microSD	PS-45u DP "Raspberry Edition"	8 GBytes	SFSD8192N3PM1TO-I-GE-020-RP0	One microSD card (8GB or 32GB) is required
microSD	PS-45u DP "Raspberry Edition"	32 GBytes	SFSDo32GN3PM1TO-I-HG-020-RPo	
USB nano	PU-5on DP "Raspberry Edition"	8 GBytes	SFU3008GC1PE2TO-I-GE-020-RP0	Optional – required for "USB policy"

#### **SDK & documentation**

The SDK and user documentation is available for download under www.swissbit.com/secure-boot-rpi.

#### Why Swissbit?

Swissbit strives to create innovative technologies for future market opportunities utilizing a highly skilled inhouse research and development team. Swissbit maintains a marketing edge by continuing to manufacture world-class high quality memory and security products and providing customers with both high value and low cost of ownership achieved through efficient processes and procedures.

Swissbit AG
Industriestrasse 4
CH-9552 Bronschhofen
45uDP\_fact\_sheet\_microSD\_RaspberryEdition\_Rev102
Switzerland in

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Memory Cards category:

Click to view products by Swissbit manufacturer:

Other Similar products are found below:

SQF-ISDS1-8G-21C USDCOEM-32GB LMEX1L128GG2 LMEX1L256GG2 LMEX1L016GG2 LMEX1L032GG2 LMEX1L064GG2
SDSDQAF4-032G-I SDSDQAF4-256G-I AP-CF016GKBNS-ETNRG CFLSH-016SDG MS-C6-8G WPCFC512M-HFITI-AA
WPMSD001G-PFITI WPMSD002G-PFITI WPMSD004G-PFISMAS WPMSD008G-PFISM WPMSD008G-PFISMAS WPMSD016GPFISM WPMSD016G-PFISMAS WPSDC001G-EAITI WPSDC002G-EAITI SPSDH008G-PFCSM SPSDH016G-PTCT5AS SPSDH032GPTCT5AS HMC-EF283 SDCFXPS-032G-X46 SDCFXSB-128G-G46 SDSDQB-032G-B35 SDSDQM-032G-B35A SDU4GDMGRB
SDU4GDPGRB 5788667-1-CUT-TAPE RP-SMLE32DA1 SDC4GDPGRB 2729389 VTDCFBPI004G SDSDAF3-016G-XI 2403484
VTDS41PI008G SDSDAF3-016G-I VSFCS2CC060G SDSDAF3-032G-XI SDSDAD-016G SDSDAF3-008G-XI SDSDAF3-008G-I
SDSDQAB-016G-J VTDCFBPI008G M1A0-0160R12 M1A0-0320R12