

swissbit®

PRELIMINARY
Product Fact Sheet

USB Flash Drive and Hardware Security Module

PU-50n iShield HSM Series

USB 3.1 SuperSpeed, MLC

Extended Temperature Grade

Date: June 06, 2022
Revision: 0.91

durabit™
“the better MLC”



Product Summary

- **Capacities:** 8 GBytes
- **Form Factor:** USB3.1 solid state flash drive with USB Type-A connector (24.0 mm x 12.1 mm x 4.5 mm)
- **Compliance:** USB 3.1 Gen 1 SuperSpeed specification compatible (backward compliance with USB 2.0/1.1)
- **Operating Temperature Range¹:**
 - Extended: -25 °C to 85 °C
- **Performance:**
 - Read Performance: Sequential Read up to 100 MBytes/s, Random Read IOPS up to 2'500
 - Write Performance: Sequential Write up to 25 MBytes/s, Random Write IOPS up to 600
- **Operating Voltage:** 5.0 V ± 10%
- **Data Retention:** 10 Years @ Life Begin; 1 Year @ Life End

Product Features

- Retrofit Hardware Security Module using standard USB interface
 - Secure & tamper-proof key storage for IoT applications
 - Supports PKCS#11 / PKCS#15 (IsoApplet pre-loaded)
 - Compatible with OpenSC
 - Works with AWS Greengrass (certification pending)
- High quality, industrial grade USB memory stick
 - Compact & robust metal housing
 - MLC NAND with durabit-feature for best-in-class endurance
- Secure Element embedded in hardware (COB)
 - CC EAL 6+
 - RSA up to 2048 bit

Ordering Information

Product Type	Product Series	Capacity	Part Number
USB nano	PU-50n iShield HSM	8 GBytes	SFU3008GC2PE2T0-E-GE-912-HS0

Why Swissbit?

Swissbit is focused on the design, development, manufacture, and support of leading edge memory and storage solutions for the worldwide OEM/ODM marketplace. As a global supplier, Swissbit recognizes and addresses the higher level of application requirements of today's industrial, Netcom, and automotive customers by providing best-in-class products and services, with uncompromised attention to driving overall value and quality.

¹ Adequate airflow is required to ensure the temperature, as reported in the S.M.A.R.T. data, does not exceed the specified maximum operating temperature.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [USB Flash Drives](#) category:

Click to view products by [Swissbit](#) manufacturer:

Other Similar products are found below :

[U266-16G](#) [100014877](#) [U320-16G](#) [6921734937223](#) [6921734937209](#) [U268-32G](#) [UPI2-0160K0R11](#) [UTS2-0160K0R11](#) [UTS3-0160K0R11](#)
[UTS3-0320K0R11](#) [UTS3-0640K0R11](#) [SDDD3-064G-G46](#) [UUN2-0320S0R11](#) [UUN2-0160S0R11](#) [UTS3-1280K0R11](#) [UTS2-1280K0R11](#)
[UTS2-0640K0R11](#) [UTS2-0080K0R11](#) [UMM3-0640K0R11](#) [UCU2-0160K0R11](#) [SDUFD51-032G](#) [2402809](#) [SDUFD33-032G](#)
[APHA016GAG0CG-3TM](#) [APHA001GR13CG-6T](#) [SDUFDEC-016G](#) [SDUFD33-016G](#) [SDCZ430-032G-G46](#) [SDCZ430-064G-G46](#)
[SDCZ430-128G-G46](#) [SDCZ430-256G-G46](#) [SDCZ48-256G-U46](#) [SDCZ73-032G-G46](#) [SDCZ73-064G-G46](#) [SDCZ73-128G-G46](#) [SDDD3-](#)
[256G-G46](#) [SDDDC2-032G-G46](#) [SDDDC2-064G-G46](#) [SDDDC2-128G-G46](#) [SDDDC2-256G-G46](#) [SDDD3-032G-G46](#) [SDDD3-128G-G46](#)
[SDCZ48-032G-U46](#) [SDCZ48-064G-U46](#) [SDCZ48-128G-U46](#) [AP64GAH355B](#) [USB3FTVKEY6A128ZNCAPAPAUV](#)
[USB3FTVKEY6A32ZNCAPAPAUV](#) [USB3FTVKEY6A256ZNCAPAPAUV](#) [USB3FTVKEY6A128GCAPAPAUV](#)