## **MODEL TL-5934**

International size reference: 1/10D, ER32L65

#### **TECHNICAL DATA**

Li metal content


(Typical values @+25°C for batteries stored for one year or less)


Nominal capacity @ 1 mA, to 2V	1 Ah
Rated voltage	3.6 V
Maximum recommended continuous current	10 mA
Maximum pulse current capability	50 mA

Maximum pulse current capability 50 mAWeight 16.3 g (0.57 oz)

VolumeOperating temperature range

W. U.L. Component Recognition, MH 12193









5.2 cc


-55°C to +85°C

approx. 0.3 g



TERMINAL MATERIAL : TIN PLATED NICKEL CATALOGUE NO. : 15-5934-41500





# iXtra - Long Term High Performance


Note: Any presentations in this data sheet concerning performance are for information purpose only and are not construed as warranties either expressed or implied, of future performance.

ECN 1501879 Rev. B 11/08

### <u>TL-5934</u>

#### **CELL FEATURES**

- 3.6 V Primary lithium-thionyl chloride (Li-SOCI2)
- Fast voltage recovery after long term storage and/or usage
- High energy density
- High and stable operating voltage
- Low self discharge rate
- Wafer construction
- Hermetic glass-to-metal-sealing
- Non-flammable electrolyte






#### **MAIN APPLICATIONS**


- Utility meters (elect., water & gas)
- Automatic meter reading
- RF systems
- Sensors & monitoring systems
- Tracking systems
- Wireless security systems
- Automotive electronics
- Industrial electronics
- Ultra Low Power (ULP)

#### STORAGE CONDITIONS

 Cells should be stored in a clean & dry (less than 30 % RH) area

For updated information please visit our website **www.tadiranbat.com** 





## iXtra - Long Term High Performance

Note: Any presentations in this data sheet concerning performance are for information purpose only and are not construed as warranties either expressed or implied, of future performance.

ECN 1501879 Rev. B 11/08

### **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Electronic Battery category:

Click to view products by Tadiran manufacturer:

Other Similar products are found below:

R88A-BAT02W TL-5104/SBP E300781900 E300782100 BR-435/BN B73180A0101M199 13299-0001 R88A-BAT01G R88A-BAT01W M4T32-BR12SH6 LR03AD/4P 13331-0001 3G2A9BAT08 LR03AD/B LR20AD/B